## MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

## INTEROFFICE COMMUNICATION

December 15, 2016

- TO: File for Quinacridone Pigment (CAS No. 1047-16-1)
- FROM: Mike Depa Toxics Unit, Air Quality Division
- SUBJECT: Change in the Initial Threshold Screening Level (ITSL)

The ITSL for quinacridone pigment was changed from 0.04  $\mu$ g/m<sup>3</sup> to 0.1  $\mu$ g/m<sup>3</sup> (annual average) in 1998.

The change in the ITSL was made due to a revision in the State's air toxic rules which became effective on November 10, 1998. Previously, the ITSL had been set pursuant to Rule 232(1)(i). This rule sets the ITSL at a default value of  $0.04 \mu g/m^3$  (annual average) when no specific data are available to determine an ITSL. The November 10, 1998 revisions to the rules changed this default ITSL to a value of  $0.1 \mu g/m^3$ .

No updated review of the literature has been done since the ITSL was originally set at a value of 0.04  $\mu$ g/m<sup>3</sup>, to determine if new data are available for this compound.

## MICHIGAN DEPARMENT OF NATURAL RESOURCES

## INTEROFFICE COMMUNICATION

March 9, 1994

TO: File for Quinacridone Pigment (CAS # 1047-16-1)

FROM: George Eurich

SUBJECT: Screening Level for Quinacridone Pigment

A search of the following databases turned up no information useful in determining a screening level:

RTECS	NIOSH REL
IRIS	NTP MANAGEMENT STATUS REPORT
EPB LIBRARY	IARC MONOGRAPHS
ACGIH	EPB CHEMICAL CRITERIA DATABASE
HEAST	CAS ONLINE (1967-1994)
NLM SEARCH	. ,

The ITSL for QUINACRIDONE PIGMENT has been set at trace - 0.04  $\mu g/m^3$  based on annual average time.

GE : ma