DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

FCE Summary Report

Status : Source Class : SM OPT OUT Staff : Sydney Bruestle	SRN : A6445
City: SANDUSKY State: MI Zip Code: 48471 Compliance Status: Compliance Source Class: SM OPT OUT Staff: Sydney Bruestle FCE Begin Date: 1/1/2015 FCE Completion 3/1/2017	District : Saginaw Bay
Status : Source Class : SM OPT OUT Staff : Sydney Bruestle FCE Begin Date : 1/1/2015 FCE Completion 3/1/2017	County : SANILAC
FCE Begin Date : 1/1/2015 FCE Completion 3/1/2017	
	Staff : Sydney Bruestle
	· · · · · · · · · · · · · · · · · · ·
Comments :	
Comments :	•

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
02/23/2017	Scheduled Inspection	Compliance	Onsite inspection to determine compliance with PTI 145-07B and all other applicable state and federal air quality regulations
12/06/2016	Other Non ROP	Compliance	Air stripper unit monitoring quarterly report
09/02/2016	Other Non ROP	Compliance	Air stripper unit monitoring quarterly report
06/09/2016	Other Non ROP	Compliance	Quarterly report for air stripper
06/09/2016	Other Non ROP	Compliance	quarterly report for air stripper
12/08/2015	Other Non ROP	Compliance	Air stripper data. slb
06/01/2015	Other Non ROP	Compliance	Air Stripper Data. slb
02/23/2015	Other Non ROP	Compliance	Air Stripper data. slb

Name:

Date: 3/1/2017 Supervisor: C. Carl Page 1 of 1