## DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

## **FCE Summary Report**

Facility:	DTE Electric Company - Putnam Peaking Facility					SRN:	B2807
Location :	5660 MERTZ R	D				District :	Bay City
						County:	TUSCOLA
City: N	MAYVILLE	State: N	/  Zip Code :	48744	Compl Status		Compliance
Source Clas	s: MAJOR				Staff	: Nathar	nael Gentle
FCE Begin [	Date: 12/29/201	19			FCE Date	Completion :	12/29/2020
Comments :	:						

## List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
12/29/2020	On-site Inspection	Compliance	Scheduled Inspection of MI-ROP- B2807-2018
10/23/2020	ROP Semi 1 Cert	Compliance	No deviations reported.
10/23/2020	MACT (Part 63)	Compliance	No deviations reported.
03/30/2020	MAERS	Unknown	Not flagged for audit this year, and not targeted for an inspection during FY20.
03/11/2020	ROP Annual Cert	Compliance	No deviations reported.
03/11/2020	ROP SEMI 2 CERT	Compliance	No deviations reported.
03/11/2020	MACT (Part 63)	Compliance	Subpart ZZZZ Semiannual Compliance Report. No deviations reported.

	nathanae	) &	Borto		1 61
Name:		Date:	4/5/2021	Supervisor:	Page 1 of 1