



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
WARREN DISTRICT OFFICE



LIESL EICHLER CLARK  
DIRECTOR

January 15, 2020

CERTIFIED MAIL

Mr. Dong Hun Kwag  
Davison Cleaners  
1024 South State Road  
Davison, MI 48423

Establishment Number: 2500030  
Genesee County

Dear Mr. Kwag:

**VIOLATION NOTICE**

On January 8, 2020, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted an inspection of Davison Cleaners, 1024 South State Road, Davison, Michigan. The purpose of this inspection was to determine Davison Cleaners' compliance with the requirements of the federal Clean Air Act and Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451).

Specifically, this dry cleaner is subject to the federal National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities, Title 40 of the Code of Federal Regulations (CFR), Part 63, Subpart M and the Public Health Code, 1978 PA 368, as amended, Dry Cleaning Establishment Rules Utilizing Class I, II, III, and IV Solvents.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Commercial, Dry to Dry, Type IV Perchloroethylene dry cleaning facility	40 CFR 63.322(m)	There is a perc vapor leak (557ppm) at the still sight glass on the dry cleaning machine.
	40 CFR 63.322(o) (1)	The monthly leak check with a halogenated hydrocarbon detector has not been performed.
	40 CFR 63.324(d) (1,2,3,4,5)	The NESHAP temperature, leak detection, repair, and perc purchase logs are not being kept for the dry cleaning machine.
	R 325.17107(a)	The still sludge and lint waste are not being stored in covered, hazardous waste containers and properly disposed of.

Mr. Dong Hun Kwag  
Davison Cleaners  
Page 2  
January 15, 2020

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by February 5, 2020 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to Joseph A. Jaskowski at EGLE, AQD Warren District Office, 27700 Donald Court, Warren, MI 48092 or [jaskowskij@michigan.gov](mailto:jaskowskij@michigan.gov) and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or [camillerij@michigan.gov](mailto:camillerij@michigan.gov).

If Davison Cleaners believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for the cooperation that was extended to me during my inspection of Davison Cleaners. If you have any questions or require further information, please contact me at 734-564-6724 or [jaskowskij@michigan.gov](mailto:jaskowskij@michigan.gov).

Sincerely,



Joseph A. Jaskowski  
Environmental Quality Analyst  
Air Quality Division

Enclosures

cc: Ms. Mary Ann Dolehanty, EGLE  
Dr. Eduardo Olaguer, EGLE  
Ms. Jenine Camilleri, EGLE  
Ms. Karen Kajiya-Mills, EGLE  
Ms. Joyce Zhu, EGLE