

J9803
manila

DEPARTMENT OF ENVIRONMENTAL QUALITY
AIR QUALITY DIVISION
ACTIVITY REPORT: Scheduled Inspection

J980352280

| | | |
|---|-------------------------------|---------------------------|
| FACILITY: Royal Transportation Co. | | SRN / ID: J9803 |
| LOCATION: 401 St. Jean, DETROIT | | DISTRICT: Detroit |
| CITY: DETROIT | | COUNTY: WAYNE |
| CONTACT: Donald Fitzsimmons , President | | ACTIVITY DATE: 01/30/2020 |
| STAFF: Jonathan Lamb | COMPLIANCE STATUS: Compliance | SOURCE CLASS: MINOR |
| SUBJECT: Scheduled inspection, FY 2020 | | |
| RESOLVED COMPLAINTS: | | |

An inspection was performed on January 30, 2020, at Royal Transportation Co., located at 401 St. Jean St. in Detroit. This site was previously occupied by White Tower Industrial Laundry under the SRN J9803. The purpose of the inspection was to determine if Royal Transportation is subject to air permitting requirements and also to determine if the facility uses trichloroethylene (TCE). Ambient fenceline monitoring performed at an adjacent facility, Stericycle (N0731), has shown periodic elevated levels of TCE, so AQD had to determine if Royal Transportation could be a possible source.

I met with Donald Fitzsimmons, President, and informed him of the purpose of my visit. The facility is only used as the main office for Royal Transportation bus lines. The buses are parked at this location when not in use. Buses are cleaned (washed/vacuumed) on site and sometimes minor mechanical repairs are performed; there is no painting or major repairs performed on site. Buses are washed using soap and water. He stated that the facility does not use TCE or any other solvents. He took me through the facility and I saw no equipment or operations which would be subject to air permitting requirements. I did not see any indications (drums, etc.) that TCE is used on site.

Based on my inspection, Royal Transportation is determined to be in compliance with state and federal air regulations.

NAME *JLamb* DATE 1-31-2020 SUPERVISOR *JK*