## DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

## **FCE Summary Report**

Facility :	Toefco Engineered Coating Systems					SRN:	N2610	
Location :	1220 N 14th St						District :	Kalamazoo
							County:	BERRIEN
City: N	IILES	State:	MI	Zip Code :	49120	Comp Status		Compliance
Source Class: MAJOR Staff: Matthew Deskins								
FCE Begin [	Date: 2/15/202 <sup>2</sup>	1				FCE Date	Completion	2/15/2022
Comments :								

## List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
02/15/2022	On-site Inspection	Compliance	Unannounced Scheduled Inspection
09/16/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Compliance Report and the submittal appears to contain all the required MACT MMMM reporting information.
09/16/2021	ROP Semi 1 Cert	Compliance	The facility certified that no deviations occurred within the reporting period.
08/04/2021	Stack Test	Compliance	Hydrogen Fluoride Emission Test on their Burn-Off Oven (Oven 16 - Large Bayco). Emission Limit is 363.5 mg per cubic meter. Test results reported indicate a 3 run average of only 1.22 mg per cubic meter.
06/08/2021	Stack Test Observation	Compliance	Stack Test Observation for Hydrogen Fluoride (HF) Emissions from the Large Bayco Burn-Off Oven.
06/02/2021	MACT (Part 63)	Compliance	MACT MMMM - Notification of Initial Compliance Status. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.
06/02/2021 MACT (Part 63)		Compliance	MACT MMMM Semi-Annual Compliance Status Report. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.

Activity Date	Activity Type	Compliance Status	Comments
06/02/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Compliance Status Report. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.
06/02/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Compliance Status Report. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.
06/02/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Compliance Status Report. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.
06/02/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Compliance Status Report. Staff had already sent a VN in regards to this being late. The matter is now considered Resolved.
04/07/2021	ROP Annual Cert	Compliance	The facility reported a deviation for not submitting their 1st MACT MMMM Semi-Annual Report on time. Staff had already sent a VN related to the late submittal of this report and the facility has since submitted the report and it appears to contain the required information.
04/07/2021	ROP SEMI 2 CERT	Compliance	The facility certified that no deviations occurred during this reporting period.
04/07/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Report. Staff had already sent a VN related to the late submittal of this report and the submittal appears to contain all the required MACT MMMM reporting information.
04/07/2021	MACT (Part 63)	Compliance	MACT MMMM Semi-Annual Report and the submittal appears to contain all the required MACT MMMM reporting information.

Name: Matt Dele 2-33-22 Supervisor: RIL 3/9/22 Page 2 of 2