

**Cutting Edge Abrasives, LLC
4455 Airwest Drive, SE
Kentwood, MI 49512**

RE: CORRECTIVE ACTION PLAN per Violation Rule 201 – SRN: N6647 Kent County

Attn: Ms. April Lazzaro, Sr Environmental Quality Analyst
EGLE, AQD, Grand Rapids District
350 Ottawa Avenue NW, Unit 10
Grand Rapids, MI 49503

April,

Per your visit on September 21st to our facility, and subsequent Violation Notice, we are replying to advise our corrective action plan. At this point, it will be somewhat straightforward as to the ongoing operations at the above address. This will be as follows;

1. Submit formal Permit To Install Application. I believe this will initiate the action needed going forward with respect to: A. Do we actually need a permit based on actual volume. And B) What other items should we have to take into consideration for environmental as well as proper safety of all employees. Copy of application is attached.
2. Additionally – it will now be mandatory for all employees to wear the ventilation masks (which these are on order) during the mixing phases in the back room.

At this point, this is our initial corrective action plan. If you have other suggestions while the Permit is in process, please don't hesitate to email or give me a call. Thanks for your assistance in this matter.

With Best Regards,

Tim Dyer

Tim Dyer, Manager
Cutting Edge Abrasives