



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



C. HEIDI GREYER
DIRECTOR

July 19, 2017

Dear Interested Party:

This letter is in reference to a Permit to Install application for EES Coke Battery, LLC's proposed temporary controlled venting of an existing 300,000 gallon light oil storage tank. The temporary controlled venting will be for a maximum of 30 days. The tank is located at 1400 Zug Island Road, River Rouge, Michigan. The Permit to Install application is identified as No. 77-17.

The Michigan Department of Environmental Quality (MDEQ) has announced a public comment period on the draft permit conditions, as required by state and federal regulations. The public comment period is to solicit written comments prior to making a final decision on the permit application. Written comments received during the comment period will be considered in the final permit decision. Please mail comments by August 18, 2017, to Ms. Annette Switzer, Permit Section Manager, MDEQ, Air Quality Division, P.O. Box 30260, Lansing, Michigan, 48909-7760. Comments may also be submitted from the webpage <http://www.deq.state.mi.us/aps/cwerp.shtml> (click on "Submit Comment" under the EES Coke Battery, LLC, Permit to Install No. 77-17 listing).

If a public hearing is requested in writing by August 18, 2017, an informational session and public hearing will be held on August 23, 2017, at the City Hall Council Chambers Room, River Rouge, Michigan. The informational session will begin at 6:00 p.m. at which time staff will be available to answer questions. The public hearing will follow at 7:00 p.m. The sole purpose of the hearing will be to take formal testimony on the record. Those interested may contact the Air Quality Division at 517-284-6805 on August 21, 2017, to determine if a hearing was requested and will be held.

After resolving any issues raised during the public comment period and the hearing, a final decision will be made on the permit application.

The "Notice of Air Pollution Comment Period and Public Hearing," the "Fact Sheet," the "Proposed Project Summary", and the draft permit conditions regarding our analysis of this proposed project are available at <http://www.deq.state.mi.us/aps/cwerp.shtml> or you may contact me for printed copies.

If you have any questions, please feel free to contact me.

Sincerely,

D. John Vial, Senior Environmental Engineer
Air Quality Division
Permit Section
517-284-6805

Interested Party

Page 2

July 19, 2017

cc: Mayor Michael Bowdler, City of River Rouge
Mayor Mike Duggan, City of Detroit
Mayor Drew Dilkens, City of Windsor
Ms. Madeleine Godwin, Ontario Ministry of the Environment, Windsor
Mr. Mike Moroney, Ministry of the Environment, Sarnia/Windsor District
Mr. Mark Smith, Ministry of the Environment, Windsor Area Office
Ms. Karen Clark, Ministry of the Environment, Air Policy and Climate Change Branch
Mr. Chris Manzon, Pollution Control Services, City of Windsor
Mr. Mark J. Burrows, International Joint Commission
Ms. Averil Parent, City of Windsor
Ms. Genevieve Damico, U.S. Environmental Protection Agency, Region 5
Mr. Constantine Blathras, U.S. Environmental Protection Agency, Region 5
Ms. Stephanie Diaz, U.S. Environmental Protection Agency, Region 5
Ms. Cathy Garrett, Wayne County Clerk
Ms. Ilona Varga, Wayne County Commissioner
Dr. Joneigh Khaldun, City of Detroit, Executive Director and Health Officer
Mr. Raymond Scott, City of Detroit, Buildings, Safety Engineering and Environmental
Department (BSEED)
Mr. Paul Max, City of Detroit, BSEED
Ms. Rhiana Dornbos, NTH Consultants, Ltd.
Ms. Melody Kindraka, MDEQ
Ms. Wilhemina McLemore, MDEQ
Mr. Jeffrey Korniski, MDEQ