



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
KALAMAZOO DISTRICT OFFICE



DAN WYANT  
DIRECTOR

April 1, 2015

Mr. Mike Smith  
Technisand, Inc.  
3840 Livingston Road  
Bridgman, Michigan 49106

SRN: A0367, Berrien County

Dear Mr. Smith:

**VIOLATION NOTICE**

On May 13, 2011, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), issued Renewable Operating Permit (ROP) No. MI-ROP-A0367-2011 to Technisand, Inc. (Facility), located at 3840 Livingston Road, Bridgman, Michigan. Rule 213(4)(c) of Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451), requires a permittee to submit annual reports of any required monitoring and all instances of deviations from permit requirements.

At this time, the DEQ has not received the Facility's Annual Certification report, which had to be postmarked or received by our office on March 15, 2015. This constitutes a violation of General Conditions 19 and 20 of ROP No. MI-ROP-A0367-2011, and Rule 213(4)(c) of Act 451.

Please submit the report within 21 days from the date of this letter. Each report must contain a certification by the Responsible Official that the statements and information in the report are true, accurate, and complete.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above. If you have any questions regarding the violations or the actions necessary to bring this Facility into compliance, please call me at the telephone number listed below.

Sincerely,

Matt Deskins  
Environmental Quality Analyst  
Air Quality Division  
269-567-3542

MD:CF

cc: Ms. Lynn Fiedler, DEQ  
Ms. Mary Ann Dolehanty, DEQ  
Ms. Teresa Seidel, DEQ  
Mr. Thomas Hess, DEQ  
Ms. Mary Douglas, DEQ