



DIAMOND CHROME PLATING, INC.



604 S Michigan Avenue
PO Box 557
Howell, MI 48844

Phone: 517-546-0150
Fax: 517-546-3666
Website: diamondchromeplating.com

DEQ-AQD LANSING D.O.

NOV 10 2016

7 November 2016

DEQ, Lansing District Office
Daniel A. McGeen
525 West Allegan
1st Floor Southwest – Constitution Hall
P.O. Box 30242
Lansing, MI 48909

Re: Your NOV of 28 October 2016

Dear Ms. Kammer and Mr McGeen:


This letter responds to your Violation Notice of 28 October 2016.

You cite five (5) dates where data was incompletely recorded on the Roof Area Inspection Form (RAIF), which you inspected during the AQD inspection of 19 September 2016.

DCP acknowledges some limited data was not recorded for the dates cited. This was due to a new person taking responsibility for the record. That person had since recognized the required data deficiency and has been recording the data correctly since the last date cited. However, following your NOV, DCP revisited and discussed the issue with that person again. That person is now fully aware of the obligation for recording all required data on the RAI Form. DCP believes this issue has been corrected.

I would like to note for additional clarification that for the missing record of 23 May 2016, that the data was available and presented to the inspector even though it was not completely recorded on the RAIF.

Very truly yours,


John D Wagner P.E., REM, CSP
Director of Health, Safety and Environmental Affairs.

pc Via e-mail

Ms. Lynn Fiedler, DEQ FIEDLERL@michigan.gov
Ms. Mary Ann Dolehanty, DEQ DOLEHANTYM@michigan.gov
Mr. Thomas Hess, DEQ HESST@michigan.gov
Mr. Robert Wagner, DEQ WAGNERRI@michigan.gov
Ms. Angela Brown, DEQ BROWNA2@michigan.gov
Mr. Richard Kuhl, DAG KuhlR@michigan.gov
Mr. Malcolm Mead-O'Brien, DEQ MEADMI@michigan.gov
Ms. Rebecca Taylor, DEQ TAYLORR@michigan.gov
Mr. Bryan Grocholwski, DEQ GROCHOWSKIB@michigan.gov
Ms. Carla Davidson, DEQ DAVIDSONC@michigan.gov
Mr. Brad Myott, DEQ MYOTTB@michigan.gov