

DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

FCE Summary Report

Facility : MillerKnoll	SRN : B6001
Location : 855 E. Main Ave.	District : Grand Rapids
	County : OTTAWA
City : ZEELAND State: MI Zip Code : 49464	Compliance Status : Compliance
Source Class : SM OPT OUT	Staff : Chris Robinson
FCE Begin Date : 2/28/2022	FCE Completion Date : 2/28/2023
Comments : FY '23 Inspection	

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
02/27/2023	MAERS	Compliance	The facility is using a combination of Mass balance calculations and MAERs emission factors. The emissions for EUAdh Roll Coat show a 249.6%. increase from 2020 to 2021 while the throughput decreased by 26.8%. Increases and decreases in emissions and throughputs should be similar therefore this discrepancy may represent an error in the data. No changes to the 2021 data are required, however the facility should watch for this in the 2022 data. AQD will review the 2022 data once it becomes available.
01/31/2023	On-site Inspection	Compliance	FY '23 on-site inspection to determine the facility's compliance status with respect to PTI 9-18A and any other applicable air quality rules and regulations.

Name: 

Date: 2/28/2023

Supervisor: 