

Efile: B7018 - FCE - 2014 05 29 B7018

DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

FCE Summary Report

FY 2014 FCE

Facility : GENERAL FILTERS, INC.	SRN : B7018
Location : 43800 GRAND RIVER AVE	District : Southeast Michigan
	County : OAKLAND
City : NOVI State: MI Zip Code: 48375	Compliance Status : Compliance
Source Class : SM OPT OUT	Staff : Iranna Konanahalli
FCE Begin Date : 5/15/2013	FCE Completion Date : 5/29/2014
Comments : The company has replaced the existing degreaser in September 1997 in order to comply with NESHAP standards for Halogenated Solvent Cleaners (40 CFR, Part 63, Subpart T). US EPA promulgated a final rule to permanently exempt area sources subject to NESHAP	

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
05/16/2014	Scheduled Inspection	Compliance	FY 2014 level-2 scheduled annual compliance inspection of General Filters
05/05/2014	MAERS		Cat III Fee. NESHAP/ MACT T Area. VOC = 630 lbs/yr, Trichloroethylene = 0 (0 gal/yr) lbs/yr - idled. Flow coat booth removed dismantled in May 5, 2010. Vapor degreaser idled. Some painting outsourced. 225 gal /yr paint used.

Name: Iranna Konanahalli Date: 05/29/2014 Supervisor: _____

CJE