



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
DETROIT



KEITH CREAUGH
DIRECTOR

March 4, 2016

Mr. Linwood Bubar
Detroit Renewable Power
5700 Russell St.
Detroit, MI 48211

SRN: M4148, Wayne County

Dear Mr. Bubar:

VIOLATION NOTICE

On February 17, 2016, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), received the Notification of Exceedance of Carbon Monoxide (CO) Emissions report for Detroit Renewable Power, located at 5700 Russell St., Detroit, Michigan. The notification report reveals the following:

Process Description	Rule/Permit Condition Violated	Comments
Refuse-derived fuel (RDF) fired boiler #12	ROP No. MI-ROP-M4148-2011, Table FGBOILERS011-013, Condition I. 11.	The CO emission based on a 1-hour block average exceeded 267 ppmv for some of the operating hours during 2/14/15.
RDF fired boiler #12	ROP No. MI-ROP-M4148-2011, Table FGBOILERS011-013, Condition I. 11; 40 CFR Part 60, Subpart Cb, Db, & Eb; 40 CFR Part 62 Subpart FFF	The CO emission based on a 24-hour block daily arithmetic average exceeded 200 ppmv for the operating hours during 2/14/15.

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by March 25, 2016 (which coincides with 21 calendar days from the date of this letter). The written response should include: causes of the violation; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If Detroit Renewable Power believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Mr. Linwood Bubar

Page 2

March 4, 2016

Thank you for your attention to resolving the violations cited above. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Joyce Zhu
Senior Environmental Engineer
Air Quality Division
586-753-3748

cc: Mr. Damian Doerfer, DRP
Ms. LaReina Wheeler, City of Detroit, BSEED
cc/via e-mail: Ms. Lynn Fiedler, DEQ
Ms. Teresa Seidel, DEQ
Ms. Heidi Hollenbach, DEQ
Mr. Thomas Hess, DEQ
Ms. Wilhemina McLemore, DEQ
Mr. Jeff Korniski, DEQ