

M4752  
MANILA-FCE

DEPARTMENT OF ENVIRONMENTAL QUALITY  
AIR QUALITY DIVISION

FCE Summary Report

Facility : JOHN D DINGELL VA MEDICAL CENTER		SRN : M4752
Location : 4646 JOHN R STREET		District : Detroit
		County : WAYNE
City : DETROIT	State: MI Zip Code : 48201	Compliance Status : Compliance
Source Class : SM OPT OUT		Staff : Jill Zimmerman
FCE Begin Date : 9/18/2022		FCE Completion Date : 9/18/2023
Comments :		

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
09/18/2023	On-site Inspection	Compliance	Target Inspection
05/05/2023	Annual Emissions Report (or MAERS)	Compliance	<p>MAERS report submitted electronically on 3/10/2023.</p> <p>On Friday May 5, 2023, I emailed the facility contacts to ask what the reported emissions were not the same as the system calculated emissions. Mr. Edge responded that the MAERS calculated emissions should have been reported. I have failed the report so that the facility can make these corrections.</p> <p>May 5, 2023: The corrections have been made and the report has passed.</p>

Name: [Signature] Date: 7/11/24

Supervisor: JK