

DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

**FCE Summary Report**

<b>Facility :</b> OMIMEX ENERGY- CLAYBANKS 2 FACILITY	<b>SRN :</b> N2096
<b>Location :</b> 5954 W. Arthur Road	<b>District :</b> Grand Rapids
	<b>County :</b> OCEANA
<b>City :</b> NEW ERA <b>State:</b> MI <b>Zip Code :</b> 49446	<b>Compliance Status :</b> Non Compliance
<b>Source Class :</b> SM OPT OUT	<b>Staff :</b> Chris Robinson
<b>FCE Begin Date :</b> 3/26/2020	<b>FCE Completion Date :</b> 3/26/2021
<b>Comments :</b> FY '21 Inspection	

**List of Partial Compliance Evaluations :**

Activity Date	Activity Type	Compliance Status	Comments
03/11/2021	MAERS	Compliance	The facility is using MAERS emission factors. Low emissions is most likely the result of not operating the engine, flare or dehydrator the entire year.
03/09/2021	MAERS	Compliance	The facility is using MAERS emission factors. Low emissions is most likely the result of not operating the engine, flare or dehydrator the entire year.
02/02/2021	On-site Inspection	Non Compliance	FY'21 inspection to determine the facility's compliance status with respect to PTI no. 201-89A and any other applicable air quality rules and regulations.

Name:

  
Chris Robinson

Date:

3/26/2021

Supervisor:

 Type text here