



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
GRAND RAPIDS DISTRICT OFFICE



LIESL EICHLER CLARK
DIRECTOR

September 13, 2021

Ms. Tammi Bell
Suspa, Inc.
3970 Roger B. Chaffee Memorial Blvd. SE
Grand Rapids, Michigan 49548

SRN: N3354, Kent County

Dear Ms. Bell:

VIOLATION NOTICE

On August 24, 2021, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted an inspection of Suspa, Inc. located at 3970 Roger B. Chaffee Memorial Blvd. SE, Grand Rapids, Michigan. The purpose of this inspection was to determine Suspa, Inc.'s compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); and the Air Pollution Control Rules.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Paint Line	Rule 201	Failure to obtain a Permit to Install

During this inspection, it was noted that Suspa, Inc. was not maintaining records of solvents used on the paint line emission unit. As such, the appropriate use of the Rule 290 permit exemption cannot be determined. The AQD staff advised Suspa, Inc. on September 13, 2021, that this is a violation of Rule 201 of the administrative rules promulgated under Act 451.

A program for compliance may include a completed PTI application for the paint line, or recordkeeping demonstrating compliance with the Rule 290 exemption. Rule 290 guidance has been provided. An application form is available by request, or at the following website: www.michigan.gov/air (in the shaded box on the upper right-hand side of the page).

Be advised that Rule 201 requires that a permit be obtained prior to installation, construction, operation, reconstruction, relocation, or alteration of any process or process equipment which may be a source of an air contaminant.

Ms. Tammi Bell
Suspa, Inc.
Page 2
September 13, 2021

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by October 4, 2021 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AOD, Grand Rapids District, at 350 Ottawa Avenue NW, Unit 10, Grand Rapids, Michigan 49503 and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AOD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Suspa, Inc. believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of Suspa, Inc.. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



April Lazzaro
Senior Environmental Quality Analyst
Air Quality Division
616-558-1092

cc: Ms. Mary Ann Dolehanty, EGLE
Dr. Eduardo Olaguer, EGLE
Ms. Jenine Camilleri, EGLE
Mr. Christopher Ethridge, EGLE
Ms. Heidi Hollenbach, EGLE