



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
LANSING DISTRICT OFFICE



LIESL EICHLER CLARK  
DIRECTOR

May 2, 2019

Mr. Curt Russell  
Rainbow Bridge Pet Crematory  
5646 Commerce Street, Unit F  
Lansing, Michigan 48911

SRN: N7158, Ingham County

Dear Mr. Russell:

**VIOLATION NOTICE**

On May 1, 2019, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted an inspection of Rainbow Bridge Pet Crematory (Rainbow Bridge) located at 5646 Commerce St., Lansing, Michigan. The purpose of this inspection was to determine Rainbow Bridge's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and the conditions of Permit to Install (PTI) number 123-02A.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
EUINCINERATOR1	PTI 123-02A Special Condition (SC) 6.3	Failure to keep daily records of the time, description and weight of the charges combusted.
EUINCINERATOR2	PTI 123-02A SC 6.3	Failure to keep daily records of the time, description and weight of the charges combusted.
EUINCINERATOR2	PTI 123-02A SC 6.6	Failure to keep a record of service, maintenance and equipment inspections.

**RECORDKEEPING/REPORTING**

During this inspection, Rainbow Bridge was unable to produce the following records. The conditions of PTI number 123-02A require daily records of the time, description and weight of the charges combusted, as well as records of all service, maintenance and equipment inspections for both incinerator units. These records are to be made available for review upon request by the AQD staff.

Mr. Curt Russell  
Rainbow Bridge Pet Crematory  
Page 2  
May 2, 2019

This is a violation of the recordkeeping specified in Special Condition 6.3 & 6.6 of PTI number 123-02A.

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by May 23, 2019, (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AQD, Lansing District, at 525 West Allegan Street P.O. Box 30242, Lansing, Michigan 48909 and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Rainbow Bridge believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for the cooperation that was extended to me during my inspection of Rainbow Bridge. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Samantha Braman  
Environmental Quality Analyst  
Air Quality Division  
517-282-1373

cc: Ms. Mary Ann Dolehanty, EGLE  
Dr. Eduardo Olaguer, EGLE  
Ms. Jenine Camilleri, EGLE  
Mr. Christopher Ethridge, EGLE  
Mr. Brad Myott, EGLE