



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
DETROIT



C. HEIDI GREYER
DIRECTOR

May 8, 2017

Mr. Robert Woodworth
RMT Woodworth Heat Treat
45755 Five Mile Road
Plymouth, Michigan 48170

Dear Mr. Woodworth:

SUBJECT: SRN: N7616, Facility Address: 45755 Five Mile Road, Plymouth, MI., 48170

VIOLATION NOTICE

In January 2017, the Michigan Department of Environmental Quality (MDEQ), Air Quality Division (AQD), notified Mr. Robert Woodworth of the requirement to submit a 2016 air pollution report, with the required submittal date of March 15, 2017. In response to the non-submittal of this report, a second letter was sent on April 4, 2017 requesting immediate submittal of the Michigan Air Emissions Reporting System (MAERS) forms required pursuant to Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451) and by Air Pollution Control Rule 2 (Michigan Administrative Code R 336.202). A copy of the April 4, 2017 letter is enclosed for your reference.

At this time, we still have not received required MAERS reporting forms and you are hereby notified that this constitutes a violation of the above referenced act and rule. Please submit the MAERS reporting forms within (14) days of the date of this letter.

If Mr. Woodworth believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,

Jill C. Zimmerman
Environmental Engineer
Air Quality Division
313-456-4689

Enclosure

cc: Ms. Lynn Fiedler, MDEQ
Ms. Mary Ann Dolehanty, MDEQ
Mr. Chris Ethridge, MDEQ
Mr. Thomas Hess, MDEQ
Mr. Jeffery Korniski, MDEQ



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



C. HEIDI GREYER
DIRECTOR

April 5, 2017

Mr. Robert Woodworth
RMT Woodworth Heat Treat
45755 Five Mile Rd.
Plymouth, Michigan 48170

Dear Mr. Woodworth:

**SUBJECT: SRN N7616, RMT Woodworth Heat Treat, 45755 Five Mile Rd.,
Plymouth**

WE HAVE NOT RECEIVED YOUR 2016 AIR EMISSIONS REPORT.

In January 2017 the Michigan Department of Environmental Quality (MDEQ), Air Quality Division (AQD), notified you that the 2016 air emissions from your facility must be reported. The notice that was emailed and/or mailed via United States Postal Service included information regarding the Michigan Air Emissions Reporting System (MAERS) web application and additional guidance information.

Emissions reporting is required pursuant to Article II: Pollution Control, Chapter 1, Point Source Pollution Control, Part 55, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451), and by Air Pollution Control Rule 2 (Michigan Administrative Code R 336.202), which states:

Rule 2. The department shall require an annual report from a commercial, industrial, or governmental source of emission of an air contaminant if, in the judgment of the department, information on the quantity and composition of an air contaminant emitted from the source is considered by the department as necessary for the proper management of the air resources.

The required submittal date for the above-referenced emissions report was March 15, 2017. Our records indicate that we have not received the information from your facility. Act 451 identifies penalties that may be imposed on facilities that fail to report the required information. It is hereby requested that you immediately submit this information to the AQD.

April 5, 2017
Page 2

If you have any questions regarding the use of the MAERS web application (<http://maers.state.mi.us/facility>) or the processing of your reporting forms, please call the AQD **Detroit** District Office. A list of district office telephone numbers is enclosed for your convenience. Thank you for your cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read "Lynn Fiedler". The signature is written in a cursive style with a large initial "L".

Lynn Fiedler, Division Director
Air Quality Division

Enclosure

cc: Detroit District Office, MDEQ