



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
CADILLAC DISTRICT OFFICE



LIESL EICHLER CLARK
DIRECTOR

August 12, 2022

VIA E-MAIL AND U.S. MAIL

Tom Wolf, Compliance Manager
Elmer's Crane and Dozer, Inc.
3638 Rennie School Road
Traverse City, Michigan 49685

SRN: P1196, Grand Traverse County

Dear Tom Wolf:

VIOLATION NOTICE

On July 28, 2022, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted an inspection of Elmer's Crane and Dozer, Inc. located at 16000 Bells Bay Road South, Charlevoix, Michigan. The purpose of this inspection was to determine Elmer's Crane and Dozer, Inc. compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and the conditions of Permit to Install (PTI) number 20-21.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Fugitive emissions control for all facility roadways, the facility yard, all storage piles, and all material handling operations specified in the Fugitive Dust Control Plan.	SC 1.6 / R 336.1205, R 336.1371	The dust on the site roadways and the plant yard were not controlled in accordance with the Fugitive Dust Plan in Appendix A of the PTI to meet an opacity limit of five percent.
A non-metallic mineral processing plant consisting of a crusher, a screener, and associated conveyors subject to the NSPS 40 CFR, Part 60, Subpart 000.	SC 1.8 / R 336.2001, 40 CFR Part 60 Subparts A & 000	The crusher, screener, and associated equipment at the plant have not been tested for visible emissions.
New or additional equipment added to the	SC 1.12 / R 336.1201a(1)	There were four conveyors Nos. 1128,

Tom Wolf
Elmer's Crane and Dozer, Inc.
Page 2
August 12, 2022

process shall be submitted to the permit section and District Supervisor within 10 days before installing the additional equipment.		1134, 1136, and 1167 that were not covered on the EQP5756 forms for this PTI.
---	--	---

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by September 2, 2022 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AQD, Cadillac District, at 120 West Chapin Street, Cadillac, Michigan 49601, and submit a copy to Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Elmer's Crane and Dozer, Inc. believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for the cooperation that was extended to me during my inspection of Elmer's Crane and Dozer, Inc. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Caryn Owens
Senior Environmental Engineer
Air Quality Division
231-878-6688

cc: Mary Ann Dolehanty, EGLE
Annette Switzer, EGLE
Christopher Ethridge, EGLE
Brad Myott, EGLE
Jenine Camilleri, EGLE
Shane Nixon, EGLE