



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING



DANIEL EICHINGER
ACTING DIRECTOR

March 20, 2023

VIA E-MAIL

Scott Krall
Blue Star Demolition, Inc.
21950 Hoover Road
Warren, Michigan 48089

Rick Thornton
Shango Michigan
155 South Saginaw Street
Lapeer, Michigan 48446

SRN/ID: U252105848; Lapeer County

Dear Scott Krall and Rick Thornton:

VIOLATION NOTICE

On March 13, 2023, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD) conducted an inspection at 155 South Saginaw Street, Lapeer, Lapeer County. The purpose of this inspection was to determine compliance with the requirements of Title 40 of the Code of Federal Regulations (40 CFR), Part 61, Subpart M (National Emission Standard for Asbestos), and Rule 942 of Part 55, Air Pollution Control of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended.

According to my investigation, Shango Michigan, owned the facility demolished and Blue Star Demolition, Inc., performed the demolition activities. The National Emission Standard for Asbestos (NESHAP) holds the *owner and operator* liable for all violations.

During the inspection, EGLE staff observed the following:

The facility was demolished, and the area was paved over. The owner did have an asbestos survey done on the former garage and abatement was performed by Detroit Environmental Solutions, LLC prior to its demolition. However, no Notification of Intent to Renovate/Demolish was submitted to the administrator prior to the demolition activities.

Process Description	Section Violated	Comments
On 3/9/2023, received a referral regarding a potential demolition of a subject facility. On 3/13/2023, an inspection was performed at 155 S. Saginaw St., Lapeer. After the investigation, it was determined that no Notification was submitted to the administrator for the demolition activities.	40 CFR §61.145(b)(1)	Failure to provide the Administrator with written notice of intent to demolish.

VIOLATION NOTICE

Scott Krall and Rick Thornton

Page 2


March 20, 2023

Please initiate actions necessary to correct the cited violation and submit a written response to this violation notice by April 10, 2023 (which coincides with 21 calendar days from the date of this letter). The written response should include: the date(s) the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation, and the date(s) by which these actions will take place; and what steps are being taken to prevent a reoccurrence. The *signed* written response from the *owner and operator* to this violation notice, may be submitted by mail and directed to my attention at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760. You must also include a copy to Jason Wolf, Enforcement Unit at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760. The response may be scanned and e-mailed to DechyC@Michigan.gov and WolfJ2@Michigan.gov.

If you believe the above observations or statements are inaccurate or do not constitute a violation of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation extended to me during my site visit. If you have any questions regarding the violation notice or the actions necessary to bring this facility into compliance, please contact me at 517-749-2891; DechyC@Michigan.gov; or the post office box address provided in the paragraph above.

Sincerely,



Craig W. Dechy
Senior Environmental Quality Analyst
Air Quality Division

cc: Annette Switzer, EGLE
Christopher Ethridge, EGLE
Brad Myott, EGLE
Robert Byrnes, EGLE
Regina Angellotti, EGLE
Jason Wolf, EGLE