

**DEPARTMENT OF ENVIRONMENTAL QUALITY
AIR QUALITY DIVISION
ACTIVITY REPORT: Scheduled Inspection**

U50200014952094

FACILITY: Nardo Cabinets		SRN / ID: U502000149
LOCATION: 45520 Van Dyke		DISTRICT: Southeast Michigan
CITY: Utica		COUNTY: MACOMB
CONTACT:		ACTIVITY DATE: 01/09/2020
STAFF: Adam Bognar	COMPLIANCE STATUS: Compliance	SOURCE CLASS:
SUBJECT: Scheduled Inspection		
RESOLVED COMPLAINTS:		

On Thursday, January 9, 2019, Michigan Department of Environment, Great Lakes, and Energy-Air Quality Division (EGLE-AQD) staff, I, Adam Bognar, conducted a scheduled inspection of Nardo Cabinets located at 45520 Van Dyke, Utica, MI 48317. The purpose of this inspection was to determine the facility's compliance status with the Federal Clean Air Act; Article II, Part 55, Air Pollution Control of Natural Resources and Environmental Protection Act, 1994 Public Act 451; and Michigan Department of Environment, Great Lakes, and Energy-Air Quality Division (EGLE-AQD) rules.

I arrived at this location at around 12 pm. Nardo Cabinets no longer operates at this location. The new business at this address is "Haze Tobacco Shop". Haze Tobacco Shop is a retail store for tobacco supplies, smoking pipes, and other products.

No manufacturing takes place at this facility. I briefly entered the shop and talked to the employee behind the counter. The employee showed me around the shop. I was able to verify that all equipment associated with Nardo Cabinets has been removed. The employee stated that he rents the building from the man who previously operated Nardo Cabinets at this location.

Previously, Nardo Cabinets operated a varnish and adhesive spray booth at this location in the early 1990's. AQD became aware of the spray booth due to a citizen complaint alleging that solvent like odors are coming from this facility (in 1992). AQD investigated this complaint and found that Nardo Cabinets had installed and commenced operation of the spray booth without obtaining a permit to install. AQD sent Nardo Cabinets a letter of violation seeking compliance with Rule 201 and enclosed a permit to install application with the letter of violation (February 1992).

Nardo Cabinets sent the AQD a permit to install application, but the application was considered incomplete by the AQD. AQD sent Nardo Cabinets a letter informing the facility that their application was not administratively complete (October 1992). Based on the AQD files I reviewed, this is the final AQD communication with Nardo Cabinets.

As a result of this inspection, the AQD Nardo Cabinets file will be archived.

Compliance Determination

Haze Tobacco Shop appears to be operating in compliance with the Federal Clean Air Act; Article II, Part 55, Air Pollution Control of Natural Resources and Environmental Protection Act, 1994 Public Act 451; and Michigan Department of Environment, Great Lakes, and Energy-Air Quality Division (EGLE-AQD) rules.

NAME Adam Bognar DATE 1/13/2020 SUPERVISOR SK