

SUPPLEMENT TO PERMIT NO. 119-95A

Northern Precision Machine Products, Inc.
LeRoy, Michigan
September 22, 1998

GENERAL CONDITIONS

1. Rule 201(1) - The process or process equipment covered by this permit shall not be reconstructed, relocated, altered, or modified, unless a Permit to Install authorizing such action is issued by the Department, except to the extent such action is exempt from the Permit to Install requirements by any applicable rule.
2. Rule 201(4) - If the installation, reconstruction, relocation, or alteration of the equipment for which this permit has been approved has not commenced within 18 months, or has been interrupted for 18 months, this permit shall become void unless otherwise authorized by the Department. Furthermore, the person to whom this permit was issued, or the designated authorized agent, shall notify the Department via the Supervisor, Permit Section, Air Quality Division, Michigan Department of Environmental Quality, P.O. Box 30260, Lansing, Michigan 48909, if it is decided not to pursue the installation, reconstruction, relocation, or alteration of the equipment allowed by this Permit to Install.
3. Rule 201(6)(a) - If this Permit to Install is issued for a process or process equipment located at a stationary source that is subject to the Renewable Operating Permit program requirements pursuant to R 336.1210, trial operation is allowed by this permit if the equipment performs in accordance with the terms and conditions of this Permit to Install and until the appropriate terms and conditions of this Permit to Install have been incorporated into the Renewable Operating Permit. Upon incorporation of the appropriate terms and conditions into the Renewable Operating Permit, this Permit to Install shall become void.
4. Rules 201(6)(b) - If this Permit to Install is issued for a process or process equipment located at a stationary source that is not subject to the Renewable Operating Permit program requirements pursuant to R 336.1210, operation of the process or process equipment is allowed by this permit if the equipment performs in accordance with the terms and conditions of this Permit to Install.
5. Rule 201(8) and Section 5510 of Act 451, P.A. 1994 - The Department may, after notice and opportunity for a hearing, revoke this Permit to Install if evidence indicates the process or process equipment is not performing in accordance with the terms and conditions of this permit or is violating the Departments' rules or the Clean Air Act.
6. Rule 219 - The terms and conditions of this Permit to Install shall apply to any person or legal entity that now or hereafter owns or operates the process or process equipment at the location authorized by this Permit to Install. If the new owner or operator submits a written request to the Department pursuant to R 336.1219 and the Department approves the request, this permit will be amended to reflect the change of ownership or operational control. The request must include all of the information required by subrules (1)(a), (b) and (c) of R 336.1219. The written request shall be sent to the District Supervisor, Air Quality Division, Michigan Department of Environmental Quality.
7. Rule 901 - Operation of this equipment shall not result in the emission of an air contaminant which causes injurious effects to human health or safety, animal life,

plant life of significant economic value, or property, or which causes unreasonable interference with the comfortable enjoyment of life and property.

8. Rule 912 - The owner or operator of a source, process, or process equipment shall provide notice of an abnormal condition, start-up, shutdown, or malfunction that results in emissions of a hazardous or toxic air pollutant in excess of standards for more than one hour, or of any air contaminant in excess of standards for more than two hours, as required in this rule, to the District Supervisor, Air Quality Division. The notice shall be provided not later than two business days after start-up, shutdown, or discovery of the abnormal condition or malfunction. Written reports, if required, must be filed with the District Supervisor within 10 days, with the information required in this rule.
9. Approval of this permit does not exempt the person to whom this permit was issued from complying with any future applicable requirements which may be promulgated under Part 55 of Act 451, P.A. 1994 or the Clean Air Act.
10. Approval of this permit does not obviate the necessity of obtaining such permits or approvals from other units of government as required by law.
11. Operation of this equipment may be subject to other requirements of Part 55 of Act 451, P.A. 1994, and the rules promulgated thereunder.
12. Rule 301 - Except as provided in subrules (2) and (3) or unless the special conditions of this Permit to Install include an alternate opacity limit established pursuant to subrule (4) of R 336.1301, a person shall not cause or permit to be discharged into the outer air from a process or process equipment a visible emission of density greater than the most stringent of the following. The grading of visible emissions shall be determined in accordance with R 336.1303.
 - a) A 6-minute average of 20% opacity, except for one 6-minute average per hour of not more than 27% opacity.
 - b) A visible emission limit specified by an applicable federal new source performance standard.
 - c) visible emission limit specified as a special condition of this permit to install.
13. Rule 370 - Collected air contaminants shall be removed as necessary to maintain the equipment at the required operating efficiency. The collection and disposal of air contaminants shall be performed in a manner so as to minimize the introduction of contaminants to the outer air. Transport of collected air contaminants in Priority I and II areas requires the use of material handling methods specified in R 336.1370(2).

SPECIAL CONDITIONS

14. The volatile organic compound (VOC) emission rate from the two rotary drum cold cleaners, dip tank cold cleaner, wastewater evaporator, solvent reclaim unit and other equipment associated with the solvent cleaners, hereinafter "cold cleaning equipment" shall not exceed 9.9 pounds per hour nor 24.7 tons per year based on a 12-month rolling time period as determined at the end of each calendar month.
15. Applicant shall not use more than 7,376 gallons of Safety-Kleen 105 solvent, or an equivalent approved solvent, per year based on a 12-month rolling time period as determined at the end of each calendar month. A log of monthly solvent usage, including solvent added to and drained from each cleaning device, shall be maintained and kept on file for a minimum of two years and shall be made available to the Air Quality Division upon request.
16. Applicant shall not degrease or clean parts for more than 16 hours per day or more than 4,992 hours per year based on a 12-month rolling time period as determined at the end of each calendar month. A log of daily and monthly hours of operation shall be maintained and kept on file for a minimum of two years and shall be made available to the Air Quality Division upon request.
17. Applicant shall keep records for each calendar month of the following for the wastewater evaporator:
 - a. The amount, in gallons, of wastewater processed.
 - b. The amount, in gallons, of each product used as a cutting oil or prewash solvent, and the mass fraction of each such product or VOC contained in the wastewater being processed.
 - c. Emissions calculations based on data recorded per a. and b. above including an average pounds per hour VOC emission rate, and tons VOC emitted per year based upon a 12-month rolling time period as determined at the end of each calendar month.
 - d. Actual hours of operation.
18. Rules 1001, 1003, and 1004 - Verification of VOC emission rates from the cold cleaning equipment by testing, at owner's expense, in accordance with Department requirements, may be required. The testing shall be conducted within 60 days following the receipt of the written notification of the requirement. Verification of emission rates includes the submittal of a complete report of the test results. If testing is required, a complete test plan must be submitted to the Air Quality Division. The final plan must be approved by the Division prior to testing and a complete report of test results must be submitted to the Division within 60 days following the last date of testing.
19. The general room exhaust and cold cleaning equipment exhaust gases shall be discharged unobstructed vertically upwards to the ambient air from two (2) stacks, each having a maximum diameter of 24 inches and an exit point not less than 33 feet above ground level. Applicant shall not operate the cold cleaning equipment after September 15, 1998, unless the two stacks described in this condition have been installed and are operating properly.

Northern Precision Machine Products, Inc.

Permit No. 119-95A

Page 4

September 22, 1998

20. The wastewater evaporator exhaust gases shall be discharged unobstructed vertically upwards to the ambient air from a stack having a maximum diameter of 6 inches and an exit point not less than 18 feet above ground level.
21. Applicant shall not operate the degreaser unless all provisions of Rules 707 and 709 are met by the degreaser.