



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
KALAMAZOO DISTRICT OFFICE



DAN WYANT
DIRECTOR

April 6, 2015

Mr. Scott LeBeau
Graphic Packaging International, Inc.
1500 North Pitcher Street
Kalamazoo, Michigan 49007

SRN: B1678, Kalamazoo County

Dear Mr. LeBeau:

VIOLATION NOTICE

On March 5 and 18, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), investigated complaints of fallout at Graphic Packaging International, Inc. (Facility). On both dates, samples of the fallout were obtained at the complainant's. On March 19, 2015, two samples were taken at the Facility. These samples were sent to a laboratory for analysis.

The results from the lab were received on April 1, 2015, and indicate that the Facility, located at 1500 North Pitcher Street, Kalamazoo, Michigan, is the source of the fallout. This results in the following violation:

Process Description	Rule/Permit Condition Violated	Comments
Mill operations	R 336.1901 (Rule 901) and General Condition 12, Section 1, of MI-ROP-B1678-1678-2010b, Section 1	Analysis of fallout at complainant's property shows that the Facility is the source

In the professional judgment of AQD staff, the fallout that was observed would constitute a violation of Rule 901 (and General Condition No. 12, Section 1, of MI-ROP-B1678-2010b). Previously, pictures of these events have been supplied to the Facility. Enclosed is a copy of the lab results.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by April 23, 2015. The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my follow-up inspections of the Facility. When the results of the other samples taken at your Facility are received, they will be forwarded to you.


Mr. Scott LeBeau

Page 2

April 6, 2015

If you have any questions regarding the violation or the actions necessary to bring the Facility into compliance, please contact me at the telephone number listed below.

Sincerely,

A handwritten signature in cursive script that reads "Dorothy Bohn".

Dorothy Bohn
Senior Environmental Quality Analyst
Air Quality Division
269-567-3552

DB:CF

Enclosure

cc: Mr. Don Krug, Graphic Packaging
Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Ms. Teresa Seidel, DEQ
Mr. Thomas Hess, DEQ
Ms. Mary Douglas, DEQ