DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

FCE Summary Report

Facility:	MID MICHIGA	D MICHIGAN GAS STORAGE CO - CAPAC					RN:	B6481
Location: 4876 KETTLEHUT RD.					[District :	Southeast Michigan	
						ا ر	ounty:	SAINT CLAIR
City: C	APAC	State:	МІ	Zip Code :	48014	Complian Status :	се	Compliance
Source Class	s: MAJOR					Staff:	Sebas	tian Kallumkal
FCE Begin D	ate: 3/1/2013					FCE Co	mpletion	4/17/2014
Comments :				llected during the with the				s review, the facility

List of Partial Compliance Evaluations:

Activity Date	Activity Type	Compliance Status	Comments
04/03/2014	Scheduled Inspection	Compliance	Onsite Inspection
03/27/2014	ROP Other	Compliance	MAERS Certification-Signed.
03/05/2014	ROP Annual Cert	Compliance	Timely.
03/05/2014	ROP SEMI 2 CERT	Compliance	Timely
10/08/2013	ROP Semi 1 Cert	Compliance	Timely. No deviations, reported.
06/11/2013	MACT (Part 63)	Compliance	40 CFR Part 63, Subpart DDDDD - Initial Notification
03/20/2013	ROP Other	Compliance	2012 MAERS Certification
03/20/2013	MAERS	Compliance	MAERS Certification

Name: Selantian Kallunka Pate: 417/2014 Supervisor:

CTE

Page 1 of 1