



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
DETROIT FIELD OFFICE



DAN WYANT
DIRECTOR

December 22, 2015

Mr. Brent Damman, General Manager
Envirosolids, LLC
6011 Wyoming Avenue
Dearborn, MI 48126

SRN: B9080, Wayne County

Dear Mr. Damman:

VIOLATION NOTICE

On December 19, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), investigated a complaint regarding nuisance odors alleged to be the result of operations at Envirosolids, LLC (Envirosolids), located at 6011 Wyoming Avenue, Dearborn, Michigan. The purpose of the investigation was to determine Envirosolids' compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; the conditions of Permit to Install (PTI) number 305-04A and to investigate the complaint received on December 19, 2015, regarding odors attributed to Envirosolids' operations.

Mr. Todd Zynda of the AQD performed the investigations and observed the following air pollution violation:

Process Description	Rule/Permit Condition Violated	Comments
Waste Stabilization Operation (EUSTABILIZE)	PTI No. 305-04A, General Condition 6; R 336.1901(b)	Strong (Level 3 to 4) lime dust-type and chemical odors observed emitting from the facility and impacting the neighborhood downwind.

R 336.1901(b) states, in part:

"A person shall not cause or permit the emission of an air contaminant in quantities that cause injurious effects to human health and property, or the unreasonable interference with the comfortable enjoyment of life and property."

During the investigation of December 19, 2015, Mr. Zynda detected strong lime dust-type and chemical odors in the residential area downwind of the facility which were traced back to Envirosolids. In the AQD staff's professional judgment, the odors observed were of sufficient intensity and frequency so as to constitute a violation of Rule 901(b) and PTI 305-04A, General Condition 6.

Mr. Brent Damman
Page 2
December 22, 2015

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by January 12, 2016 (which coincides with 21 calendar days from the date of this letter). The written response should include: the date the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

In addition, please include a list of all waste streams which were processed in the EUSTABILIZE building on December 19, 2015, including the generator of each waste stream, description of each waste stream, and amount of each waste stream processed.

If Envirosolids believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. Should you require any further information, please contact me.

Sincerely,



Jonathan Lamb
Senior Environmental Quality Analyst
Air Quality Division
313-456-4683

cc: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Ms. Teresa Seidel, DEQ
Mr. Thomas Hess, DEQ
Ms. Wilhemina McLemore, DEQ
Mr. Jeff Korniski, DEQ
Mr. Todd Zynda, DEQ