



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
SOUTHEAST MICHIGAN DISTRICT OFFICE



LIESL EICHLER CLARK  
DIRECTOR

February 28, 2019

Mr. Mike Lentz  
General Manager  
Michigan Metal Coatings  
2015 Dove Street  
Port Huron, MI 48060

SRN: N0950, St.Clair County

Dear Mr. Lentz:

**VIOLATION NOTICE**

On February 21, 2019, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Michigan Metal Coatings located at 1720 Dove Street, Port Huron, Michigan. The purpose of this inspection was to determine Michigan Metal Coatings' compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and the conditions of Permit to Install (PTI) number 139-06 and 116-06B.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Two WMV Tulz coating booths.	R 336.1201	During this inspection, it was noted that two WMV Tulz coating booths were installed at this facility. This is a violation of Rule 201 of the administrative rules promulgated under Act 451.

During this inspection, it was noted that two WMV Tulz coating booths were installed at this facility. The AQD staff advised Michigan Metal Coatings on February 21, 2019 that this is a violation of Rule 201 of the administrative rules promulgated under Act 451.

A program for compliance may include a completed PTI application for Michigan Metal Coatings' process equipment. An application form is available by request, or at the following website: [www.michigan.gov/deqair](http://www.michigan.gov/deqair) (in the shaded box on the upper right-hand side of the page).

Be advised that Rule 201 requires that a permit be obtained prior to installation, construction, operation, reconstruction, relocation, or alteration of any process or process equipment which may be a source of an air contaminant.

Mr. Mike Lentz  
Page 2  
February 28, 2019


Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by March 21, 2019 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to the DEQ, AQD, Southeast Michigan District, at 27700 Donald Court, Warren, Michigan 48092 and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at the DEQ, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Michigan Metal Coatings believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of Michigan Metal Coatings. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Shamim Ahammod  
Environmental Engineer  
Air Quality Division  
586-212-0508

cc: Ms. Mary Ann Dolehanty, DEQ  
Dr. Eduardo Olaguer, DEQ  
Mr. Christopher Ethridge, DEQ  
Ms. Jenine Camilleri, DEQ  
Ms. Joyce Zhu, DEQ