



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
KALAMAZOO DISTRICT OFFICE



DAN WYANT
DIRECTOR

February 18, 2015

Mr. Benno Trenkle
Benno's Woodworking
1852 South Burdick
Kalamazoo, Michigan 49001

SRN: N3546, Kalamazoo County

Dear Mr. Trenkle:

VIOLATION NOTICE

On January 30, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Benno's Woodworking (Facility), located at 1852 South Burdick, Kalamazoo, Michigan. The purpose of this inspection was to determine the Facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended; the administrative rules; and the conditions of Permit to Install (PTI) Nos. 67-91 and 68-91.

During the inspection, staff of the AQD observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Stripping	PTI No. 68-91, Special Condition 19.	The Facility does not have weekly records of hours of operation for the stripping process.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by March 11, 2015. The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a recurrence.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of the Facility. Enclosed are copies of the exemptions that were discussed during the January 30, 2015, inspection.

Mr. Benno Trenkle
Page 2
February 18, 2015

If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Dorothy Bohn
Senior Environmental Quality Analyst
Air Quality Division
269-567-3552

DB:CF

Enclosures

cc: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Ms. Teresa Seidel, DEQ
Mr. Thomas Hess, DEQ
Ms. Mary Douglas, DEQ