



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
KALAMAZOO DISTRICT OFFICE



C. HEIDI GREYER
DIRECTOR

September 26, 2017

Mr. Kerry Strange
Real Alloy Recycling, Inc.
267 North Fillmore Road
Coldwater, Michigan 49036

SRN: N5957, Branch County

Dear Mr. Strange:

VIOLATION NOTICE

On August 16, 2017, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), received a Semi-annual Excess Emissions/Summary Report and Annual Certification for January 1, 2017, through June 30, 2017, from Real Alloy Recycling, Inc. (Facility), pursuant to 40 Code of Federal Regulation (CFR) 63.1516(b). Based on a review of this report, the Facility is in violation of the following:

Process Description	Rule/Permit Condition Violated	Comments
FGIMCOBLDG-S2 (EUMREVERBFURN-S2, EUMROTFURN1-S2 and EUMROTFURN2-S2	MI-ROP-N5957-2012e, Condition III.1; 40 CFR 63.1510(i)(1)(i)	The Semi-annual Excess Emissions/Summary Report states that the 8-hour lime check was missed on 6-23-17 on the rotary furnace baghouse and the reveratory furnace baghouse due to lack of personnel. The previous Semi-annual Excess Emissions/Summary Report received on 2-22-17 also reported failure to complete 8-hour lime checks of the listed baghouses on 9-26-16 due to lack of personnel. Each report stated corrective actions would involve additional checks by the production supervisor would be implemented to ensure 8-hour checks are completed as required.

Mr. Kerry Strange
Page 2
September 26, 2017

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by October 17, 2017 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Rex I. Lane
Senior Environmental Quality Analyst
Air Quality Division
269-567-3547

RIL:CF

cc: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Mr. Christopher Ethridge, DEQ
Mr. Thomas Hess, DEQ
Ms. Mary Douglas, DEQ