



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
KALAMAZOO DISTRICT OFFICE



DAN WYANT
DIRECTOR

July 14, 2015

Mr. Phillip Cole
Quincy Aggregate Resources
819 East Chicago Road
Quincy, Michigan 49082

SRN: N6959, Branch County

Dear Mr. Cole:

VIOLATION NOTICE

On July 7, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Quincy Aggregate Resources (Facility), located at 819 East Chicago Road, Quincy, Michigan. The purpose of this inspection was to determine the Facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; and the conditions of Permit to Install (PTI) No. 76-01.

During the inspection, staff of the DEQ, AQD, observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Gravel crushing and separation process	PTI No. 76-01, Special Condition IV.2	No labels were found on any of the equipment as required in the permit.

During the inspection, it was noted that the Facility had not labeled any of the equipment according to the Facility identifications specified in the PTI application. Labels should have been placed in a conspicuous location on the equipment within 45 days of initial start-up. Staff of the AQD advised the Facility on July 7, 2015, that this was a violation of PTI No. 76-01, Special Condition IV.2.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by August 3, 2015 (which coincides with 21 calendar days from the date of this letter). The written response should include: whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation, and the dates by which these actions will take place.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of the Facility.

Mr. Phillip Cole
Page 2
July 14, 2015

If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Monica Brothers
Environmental Quality Analyst
Air Quality Division
269-567-3552

MB:CF

Enclosure

cc: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Ms. Teresa Seidel, DEQ
Mr. Thomas Hess, DEQ
Ms. Mary Douglas, DEQ