



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
KALAMAZOO DISTRICT OFFICE



KEITH CREAGH
DIRECTOR

March 23, 2016

Ms. Shannon Visger
Rosler Metal Finishing USA
1551 Denso Road
Battle Creek, Michigan 49037

SRN: N7321, Calhoun County

Dear Ms. Visger:

VIOLATION NOTICE

On March 9, 2016, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Rosler Metal Finishing (Facility), located at 1551 Denso Road, Battle Creek, Michigan. The purpose of this inspection was to determine the Facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; and the conditions of Permit to Install (PTI) No. 27-11 and 125-08A.

During the inspection, staff of the AQD observed the following:

Process Description	Rule/Permit Condition Violated	Comments
EUPyrolysis	PTI No. 27-11, Condition II.3	Based on 2015 facility records, the allowed material batch limit for thermal removal of polyurethane linings was exceeded on five occasions.

This is a violation of the material limitation specified in Special Condition II.3 of PTI No. 27-11.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by April 12, 2016 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Ms. Shannon Visger
Page 2
March 23, 2016

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of the Facility. If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Rex I. Lane
Senior Environmental Quality Analyst
Air Quality Division
269-567-3547

RIL:CF

Enclosure

cc: Ms. Lynn Fiedler, DEQ
Ms. Teresa Seidel, DEQ
Ms. Heidi Hollenbach, DEQ
Mr. Thomas Hess, DEQ
Ms. Mary Douglas, DEQ
Ms. Monica Brothers, DEQ
Ms. Amanda Chapel, DEQ