



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
GRAND RAPIDS DISTRICT OFFICE



C. HEIDI GREYER
DIRECTOR

September 29, 2016

Mr. Chris Young
K & R Services
601 East Roosevelt
Zeeland, Michigan 49464

SRN: P0745, Ottawa County

Dear Mr. Young:

VIOLATION NOTICE

On September 21, 2016, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of K & R Services located at 601 East Roosevelt, Zeeland, Michigan. The purpose of this inspection was to determine K & R Services' compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); and the Air Pollution Control Rules.

During the inspection, staff observed the following:

| Process Description | Rule/Permit Condition Violated | Comments |
|---------------------------|--------------------------------|-------------------------------------|
| Metal Cleaning Operations | Rule 201 | Failure to obtain Permit to Install |

During this inspection, it was noted that K & R Services had installed and commenced operation of an unpermitted process at this facility. The AQD staff advised K & R Services on September 29, 2016, that this is a violation of Act 451, Rule 201.

A program for compliance may include a completed PTI application for the Metal Cleaning process equipment. An application form is available by request, or at the following website:

http://www.deq.state.mi.us/aps/nsr_information.shtml

Be advised that Rule 201 requires that a permit be obtained prior to installation, construction, operation, reconstruction, relocation, or alteration of any process or process equipment which may be a source of an air contaminant.


Mr. Chris Young
K & R Services
Page 2
September 29, 2016

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by October 20, 2016. The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If K & R Services believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of K & R Services. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



April Lazzaro
Senior Environmental Quality Analyst
Air Quality Division
616-356-0248

cc: Ms. Heidi Hollenbach, DEQ
cc/via e-mail: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Mr. Chris Ethridge, DEQ
Mr. Thomas Hess, DEQ