



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
KALAMAZOO DISTRICT OFFICE



DAN WYANT  
DIRECTOR

December 8, 2015

Mr. Ross Veltema  
Top Grade Site Management Contractors  
3407 58th Street  
Hamilton, Michigan 49419

SRN: U031509374, Allegan County

Dear Mr. Veltema:

### SECOND VIOLATION NOTICE

On September 2, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Top Grade Site Management Contractors' (Facility) portable Terex Model 4242 impact crusher, located at the former Consumers Concrete Corporation site at 3900 West Dickman Road, Battle Creek, Michigan. The purpose of the inspection was to determine the Facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); and the administrative rules.

On September 10, 2015, the AQD sent the Facility a Violation Notice citing violations discovered as a result of the inspection and requested your written response by October 1, 2015 (enclosed). The Facility's response was received by the AQD on October 5, 2015.

On October 13, 2015, staff of AQD notified Mr. Marc Clark at the Facility, via email, that the Facility's response was inadequate because it did not specify a date by which the Facility would submit an application for the general permit to install (GPTI) for Nonmetallic Mineral Crushing facilities. To date, the AQD has not received a GPTI application for Nonmetallic Mineral Crushing facilities from the Facility.

Please be advised that failure to respond in writing and identifying actions the Facility will take or has taken to resolve the cited violations may result in escalated enforcement action by the AQD. Please provide the information requested in our September 10, 2015, letter by December 22, 2015, which corresponds to 14 days from the date of this letter.

Be further advised that issuance of this Violation Notice does not preclude or limit the DEQ's ability to initiate any other enforcement action under state or federal law as appropriate.

Mr. Ross Veltema  
Page 2  
December 8, 2015

If you have any questions regarding the violations or the actions necessary to bring the Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Rex I. Lane  
Senior Environmental Quality Analyst  
Air Quality Division  
269-567-3547

RIL:CF

Enclosure

cc: Ms. Lynn Fiedler, DEQ  
Ms. Mary Ann Dolehanty, DEQ  
Ms. Teresa Seidel, DEQ  
Mr. Thomas Hess, DEQ  
Ms. Mary Douglas, DEQ