



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
LANSING



C. HEIDI GREYER  
DIRECTOR

April 10, 2018

Mr. John Sackrider  
Sackrider Real Estate, LLC  
11740 East Michigan Avenue  
Battle Creek, Michigan 48014

SRN / ID: U131802108; Calhoun County

Dear Mr. Sackrider:

**VIOLATION NOTICE**

On April 5, 2018, the Michigan Department of Environmental Quality (DEQ), Air Quality Division, performed an asbestos NESHAP (National Emission Standard for Hazardous Air Pollutants) complaint investigation at 11448 East Michigan Avenue, Battle Creek, Calhoun County. The purpose of this inspection was to determine compliance with the requirements of Title 40 of the Code of Federal Regulations, Part 61, Subpart M (National Emission Standard for Asbestos), and Rule 942 of Part 55, Air Pollution Control of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451).

According to my investigation, Sackrider Real Estate, LLC owns the subject facility and performed the demolition activities as well. The National Emission Standard for Asbestos holds both the owner and operator equally liable for any violations.

During the complaint investigation, staff observed the following:

Demolition activities have taken place on a former skating rink facility, and only a pile of construction debris remains on site. Sackrider Real Estate, LLC did not perform a thorough asbestos inspection and did not submit a Notification of Intent to Renovate/Demolish to the administrator prior to the demolition activities.

Process Description	Section Violated	Comments
During the complaint investigation of the subject facility located at 11448 East Michigan Ave., Battle Creek, Calhoun County, staff observed a demolition of a former skating rink. A thorough inspection had not been performed and no notification had been submitted.	40 CFR 61.145 (a)	Failure to thoroughly inspect for the presence of asbestos.
	40 CFR 61.145 (b)(1)	Failed to provide the Administrator with written notice of intention to demolish

Mr. John Sackrider  
Page 2  
April 10, 2018

Please initiate actions necessary to correct the cited violations and submit a written response to this violation notice by May 1, 2018, (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations, and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence. The signed written response to this violation notice may be submitted by mail and directed to my attention at; DEQ AQD, P.O. Box 30260, Lansing, Michigan 48909, or scanned and emailed as an attachment to me at; [dechyc@michigan.gov](mailto:dechyc@michigan.gov).

If you believe the above observations or statements are inaccurate or do not constitute a violation of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my site visit. If you have any questions regarding the violation notification or the actions necessary to bring this facility into compliance, please feel free to contact me at 517-749-2891; [dechyc@michigan.gov](mailto:dechyc@michigan.gov); or DEQ AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

Sincerely,



Craig Dechy  
Environmental Quality Analyst  
Air Quality Division

cc: Ms. Mary Ann Dolehanty, DEQ  
Mr. Craig Fitzner, DEQ  
Mr. Christopher Ethridge, DEQ  
Ms. Mary Douglas, DEQ  
Mr. Malcolm Mead-O'Brien, DEQ  
Ms. Karen Kajiya-Mills, DEQ