

### STATE OF MICHIGAN

# DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

LANSING



September 1, 2021

## **UPS NEXT DAY DELIVERY**

Mr. Tod Smith Smith Equipment Rental & Trailer Sales 2349 South Otsego Avenue Gaylord, Michigan 49735

SRN/ID: U692104766; Otsego County

#### **VIOLATION NOTICE**

#### Dear Mr. Smith:

(40 CFR), Part 61, Subpart M (National Emission Standard for Asbestos), and Rule 942 of Part 55, Air Pollution Control of the Natural Resources and Environmental Protection compliance with the requirements of Title 40 of the Code of Federal Regulations Standard for Hazardous Air Pollutants) inspection at 2349 South Otsego Avenue, Air Quality Division (AQD) performed an asbestos NESHAP (National Emission Act, 1994 PA 451, as amended. Gaylord, Otsego County, Michigan. The purpose of this inspection was to determine On August 27, 2021, the Department of Environment, Great Lakes, and Energy (EGLE),

property and performed the demolition activities. The National Emission Standard for Asbestos holds both the owner and operator equally liable for any violations According to my investigation, Smith Equipment Rental & Trailer Sales owns the subject

During the inspection, staff observed the following:

obtained all local permits and was not aware of the NESHAP requirements of conducting an asbestos survey and submitting a 10-day notice prior to demolition. Owner, Mr. Tod Smith, of Smith Equipment Rental & Trailer Sales, stated he had The subject commercial property had been demolished and removed from the site

Process Description	Section Violated	Comments
On 8/27/21, staff performed an	40 CFR 61.145 (a)	Failure to thoroughly
inspection at subject commercial		inspect. No asbestos
demolition site at 2349 South		building survey.
Otsego Avenue, Gaylord.		
	40 CFR 61.145 (b)(1)   Failure to provide 10	Failure to provide 10
		working day
		notification prior to
		demolition.

#### VIOLATION NOTICE

Mr. Tod Smith Page 2 September 1, 2021

Please initiate actions necessary to correct the cited violations and submit a written response to this violation notice by September 22, 2020, (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations, and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the signed written response to Mr. Steven Kidder at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or scan and email as an attachment to me at KidderS@Michigan.gov and submit a copy to Mr. Jason Wolf, Enforcement Unit at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or WolfJ2@Michigan.gov.

If you believe the above observations or statements are inaccurate or do not constitute a violation of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for the cooperation that was extended to me during our conversation about the site. If you have any questions regarding the violation notification or the actions necessary to bring this site into compliance, please feel free to contact me at 517-243-4492; KidderS@Michigan.gov; or EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

Sincerely.

Steven Kidder

Environmental Quality Analyst

Air Quality Division

cc: Ms. Mary Ann Dolehanty, EGLE

Dr. Eduardo Olaquer, EGLE

Mr. Christopher Ethridge, EGLE

Mr. Shane Nixon, EGLE

Ms. Karen Kajiya-Mills, EGLE

Mr. Jason Wolf, EGLE