



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
DETROIT DISTRICT OFFICE



LIESL EICHLER CLARK
DIRECTOR

July 24, 2019

Mr. Tyrone Clifton
Detroit Building Authority
1301 Third Street, Suite 328
Detroit, Michigan 48226

SRN: U821903816; Wayne County

Dear Mr. Clifton:

VIOLATION NOTICE

On July 16, 2019, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted a review of waste shipment records as part of Consent Judgment No. 18-862-CE (Consent Judgment). The judgment became effective on December 18, 2019 to resolve violations of Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, MCL 324.5501 et seq., and Mich. Admin Code, R 336.1942.

The Consent Judgment requires the Detroit Building Authority (DBA) to post documents related to demolition activities on a publicly available website. Specifically, paragraph 5.12 of the Consent Judgment requires the DBA to make publicly available the waste shipment records for each demolition as required by 40 CFR 61.150(d)(1).

During the review, asbestos waste shipment records for several contractors could not be found online. Several notifications for each contractor were reviewed for demolition conducted between April 2019 and June 2019. A list of the waste shipment records that could not be found on the City's public website is attached.

Process Description	Section Violated	Comments
Review of notifications and waste shipment records for demolition activities.	Consent Judgment No. 18-862-CE, Paragraph 5.12	Failure to post asbestos waste shipment records on the City of Detroit's website

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by August 14, 2019 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a recurrence.

Mr. Tyrone Clifton

Page 2


July 24, 2019

Please submit the written response to Ms. Tammy Bell at EGLE, AQD 3058 West Grand Boulevard, Suite 2-300, Detroit, Michigan 48202 or bellt4@michigan.gov and submit a copy to Mr. Jason Wolf, Enforcement Unit at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or wolfj2@michigan.gov.

If the DBA believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving these violations. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Tammy Bell
Senior Environmental Quality Analyst
Air Quality Division
313-330-0105

Enclosure: Address list

cc: Ms. Mary Ann Dolehanty, EGLE
Dr. Eduardo Olaguer, EGLE
Ms. Jenine Camilleri, EGLE
Mr. Christopher Ethridge, EGLE
Ms. Karen Kajiya-Mills, EGLE
Mr. Jason Wolf, EGLE
Ms. Wilhemina McLemore, EGLE