



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING



PHILLIP D. ROOS
DIRECTOR

October 26, 2023

Jeff Kirby, Plant Manager
Cecil Composites, LLC
151 Lafayette Street
Mt. Clemens, Michigan 48043

Dear Jeff Kirby:

This letter is in reference to your Permit to Install (PTI) application, identified as No. APP-2023-0168, for changing the stack parameters at your existing facility (State Registration Number B1772) located at 151 Lafayette Street in Mt. Clemens, Michigan.

The public comment period ended on October 20, 2023. A virtual public hearing did not take place as one was not requested. The Air Quality Division (AQD) did not receive any comments during the public comment period. After careful consideration of the issues and pursuant to the delegation of authority from the Director of the Michigan Department of Environment, Great Lakes, and Energy (EGLE), I have approved PTI No. 94-21B.

This approval is based upon and subject to compliance with all administrative rules of EGLE and conditions stipulated in the enclosed supplement. Please review these conditions thoroughly so that you may take the actions necessary to ensure compliance with all of these conditions.

The equipment covered by this permit is also subject to the requirements of the Renewable Operating Permit (ROP) Program. Submittal of the M-001 and C-001 forms may be required prior to commencing operation. A change that is subject to Rule 215 subrules (1), (2), or (3), promulgated pursuant to Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, requires the submittal of the forms to the appropriate AQD District Office. If a change is made pursuant to Rule 216, please submit the required forms to the Grand Rapids District Office at the address provided in the M-001 form instructions. Also, you must notify the Warren District Office, in writing, within 30 days after completion of the installation, construction, reconstruction, relocation, or modification of the process or process equipment covered by this PTI.

Additional information is included in the M-001 form instructions which are available on the Internet or can be obtained by contacting the Warren District Office at 586-753-3700. The AQD ROP Web page is located at [Renewable Operating Permits \(ROPs\) / Title V.](#)

Also, PTI No. 94-21A will be voided because the equipment is now covered by PTI No. 94-21B.

Jeff Kirby
Page 2
October 26, 2023

To help us improve the service we provide our customers, we encourage you to complete a *Permit to Install Customer Service Survey* on the following Web page:

<https://www.surveymonkey.com/s/aqdptics>

If you have any questions regarding this permit, please contact Jeff Khaled, Permit Section, AQD, at 517-582-5117; KhaledJ@Michigan.gov; or EGLE, P.O. Box 30260, Lansing, Michigan 48909-7760; or you may contact me.

Sincerely,



Annette Switzer, Director
Air Quality Division
517-284-6773

Enclosures

cc/enc: Senator Kevin Hertel, 12th Senate District
Representative Denise Mentzer, 61st Congressional District
Mayor Laura Kropp, City of Mount Clemens
Cathleen Martin, City Clerk, City of Mount Clemens
Anthony G. Forlini, Macomb County, County Clerk
Michael Langman, U.S. Environmental Protection Agency, Region 5
Constantine Blathras, U.S. Environmental Protection Agency, Region 5
Lillian L. Woolley, P.E., Fishbeck
Sydney Hart, Legislative Liaison, EGLE
Hugh C. McDiarmid Jr., Communications Manager, EGLE
Regina Strong, Environmental Justice Public Advocate, EGLE
Jill Greenberg, Public Information Officer, EGLE
Joyce Zhu, EGLE
Jeff Khaled, EGLE