



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING



PHILLIP D. ROOS
DIRECTOR

September 26, 2023

Marion Krchmar, Plant Manager
EES Coke Battery, LLC
P.O. Box 18309
River Rouge, Michigan 48218

Dear Marion Krchmar:

This letter is in reference to your Permit to Install (PTI) application, No. APP-2022-0290, State Registration Number A7809. The application was received on November 9, 2022, for incorporating requirements from the Sulfur Dioxide Federal Implementation Plan into a PTI for existing Boilerhouse No. 2 located at 1300 Zug Island Road in River Rouge, Michigan.

The public comment period ended on August 28, 2023. No comments were received nor was a request for a public hearing made during this period. Pursuant to the delegation of authority from the Director of the Michigan Department of Environment, Great Lakes, and Energy (EGLE), I have approved PTI No. 108-23.

The equipment covered by this permit is also subject to the requirements of the Renewable Operating Permit (ROP) Program. Submittal of the M-001 and C-001 forms may be required prior to commencing operation. A change that is subject to Rule 215 subrules (1), (2), or (3), promulgated pursuant to Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, requires the submittal of the forms to the appropriate AQD District Office. If a change is made pursuant to Rule 216, please submit the required forms to the Grand Rapids District Office at the address provided in the M-001 form instructions. Also, you must notify the Detroit District Office, in writing, within 30 days after completion of the installation, construction, reconstruction, relocation, or modification of the process or process equipment covered by this PTI.

Additional information is included in the M-001 form instructions which are available on the Internet or can be obtained by contacting the Detroit District Office at 313-456-4681. The AQD ROP Web page is located at [Renewable Operating Permits \(ROPs\) / Title V.](#)"

To help us improve the service we provide our customers, we encourage you to complete a *Permit to Install Customer Service Survey* on the following Web page:

<https://www.surveymonkey.com/s/aqdptics>

If you have any questions regarding this permit, please contact Janelle Trowhill, Permit Section, AQD, at 517-582-5312, TrowhillJ1@Michigan.gov; or EGLE, P.O. Box 30260, Lansing, Michigan 48909-7760; or you may contact me.

Sincerely,



Annette Switzer, Director
Air Quality Division
517-284-6773

Enclosures

cc/enc: Senator Erika Geiss
Representative Tyrone Carter
Mayor William Campbell, City of River Rouge
Patricia Johnson, River Rouge, City Clerk
Cathy Garrett, Wayne County Clerk
Mayor Michael Duggan, City of Detroit
Janice Winfrey, Detroit, City Clerk
Dr. Randy David, Chief of Epidemiology, Detroit Health Department
Derron Jones, City of Detroit, Buildings, Safety Engineering and
Environmental Department (BSEED)
Crystal Gilbert, City of Detroit, BSEED
Mayor Drew Dilkens, City of Windsor
Pierre Adrien, Ministry of the Environment, Conservation, and Parks
Marcelina Wilson, Ministry of the Environment, Conservation, and Parks
Teri Gilbert, Ministry of the Environment, Conservation, and Parks
Annette Verhagen, Ministry of the Environment, Conservation, and Parks
Karina Richters, Environmental Sustainability and Climate Change, City of
Windsor
Windsor Essex County Environment Committee
Genevieve Damico, U.S. Environmental Protection Agency, Region 5
Constantine Blathras, U.S. Environmental Protection Agency, Region 5
Eric Marko, NTH
Travis Boeskool, Deputy Director, EGLE
Hugh C. McDiarmid Jr., Communications Manager, EGLE
Regina Strong, Environmental Justice Public Advocate, EGLE
Jill Greenberg, Public Information Officer, EGLE
Dr. April Wendling, EGLE
Jeff Korniski, EGLE
Robert Irvine, EGLE
Janelle Trowhill, EGLE