

DEPARTMENT OF ENVIRONMENTAL QUALITY  
AIR QUALITY DIVISION

**FCE Summary Report**

Facility : UPPCO PORTAGE STATION	SRN : B6553
Location : 16626 Academy / Cemetery Road	District : Upper Peninsula
	County : HOUGHTON
City : SOUTH RANGE State: MI Zip Code : 49963	Compliance Status : Compliance
Source Class : MAJOR	Staff : Ed Lancaster
FCE Begin Date : 10/1/2016	FCE Completion Date : 9/26/2017
Comments : Facility remains in compliance with their ROP and Air Pollution Control Rules.	

**List of Partial Compliance Evaluations :**

Activity Date	Activity Type	Compliance Status	Comments
09/19/2017	ROP Semi 1 Cert	Compliance	Semi-Annual Report Certification from Jan 1, 2017, to June 30, 2017
07/11/2017	Scheduled Inspection	Compliance	Scheduled, unannounced inspection.
03/17/2017	ROP SEMI 2 CERT	Compliance	Semi-Annual Report Certification from 7/1/2016 to 12/31/2016
03/17/2017	ROP Other	Compliance	Fuel Delivery and Sulfur Content Report from 7/1/2016 to 12/31/2016 All fuel deliveries were 15 ppm sulfur or less.
03/17/2017	ROP Annual Cert	Compliance	Annual Compliance Certification from 01/01/2016 to 12/31/2016
03/17/2017	ROP Other	Compliance	Fuel Delivery Sulfur Content Report from 01/01/2016 to 12/31/2016 All fuel deliveries were 15 ppm sulfur or less.
03/14/2017	MAERS	Compliance	2016 MAERS - refer to MAERS for any comments. Completed review on 5/17/2017.

Name: Ed Lancaster Date: 9/26/17 Supervisor: ESL