



II Stanley Company, Inc.
1500 Hill Brady Road
Battle Creek, MI 49037
269-660-7777

Sept. 25, 2018

Mr. Rex Lane
Sr. Environmental Quality Analyst
Michigan Department of Environmental Quality
Air Quality Division
7953 Adobe Road
Kalamazoo, Michigan 49009-5025

Dear Mr. Lane,

On August 30, 2018, Michigan Department of Environmental Quality (MDEQ), Air Quality Division (AQD) staff conducted an unannounced air quality inspection at II Stanley Co., Inc. (SRN: N2137). The purpose of the inspection was to determine the facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended; the Air Pollution Control Rules, and the conditions of Permit to Install (PTI) No. 113-03F.

Based on the inspection and records review, MDEQ AQD staff observed several alleged violations as outlined in MDEQ Violation Notice dated September 5, 2018. II Stanley is committed to addressing the alleged violations and has initiated corrective actions to expedite submittal of air quality records. The attached spreadsheet provides a response to the VN and details the alleged violations, dates alleged violations occurred, cause and duration, and corrective actions to prevent a reoccurrence. Correction actions are being implemented at this time.

Please contact me if there are any questions or concerns regarding this response to the alleged violations.

With Best Regards,

Mary Noggle
Environment Health and Safety Supervisor
1500 Hill Brady Road
Battle Creek, MI 49037
Phone: 269-660-7777, ext. 1033
Cell: 269-209-0026
E-Mail: mnoggle@iistandleybc.com

Attachments

cc: Ms. Jenine Camilleri, MDEQ, AQD

