

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ACT 294 PA 1965

FEB 06 1975

D67d 100M (Rev. 12-68)

APR 7 1983

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County Kent Township Name Kentwood Fraction 1/4 1/4 1/4 Section Number 35 Town Number 6 N/S. Range Number 11 E/W.

Distance And Direction from Road Intersections


1 mile west corner East Paris & 52nd St SE. 2977 52nd St SE.

Street address & City of Well Location

Kentwood, Mich.

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUM

Clay	100'	100'
Heavy Clay	3'	103'
Clay	27'	130'
Shale	5'	135'
Gypsum	2'	137'
Shale	13'	150'
Gypsum	4'	154'
Shale	26'	180'
Gypsum	25'	205'
Shale	12'	217'
Gypsum	4'	221'
Shale	4'	225'

3 OWNER OF WELL:

Mr Carlton Blake

Address

2977 52nd St SE.

4 WELL DEPTH: (completed) Date of Completion

225 ft. 1-28-82

5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored ☐

6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐

7 CASING: Threaded ☒ Welded ☐Height: Above/Below
Diam. Surface 7 ft.

4 in. to 150 ft. Depth
4 in. to 150 ft. Depth

Weight 11 lbs./ft.
Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: _____ Dia.: _____
Slot/Gauze _____ Length _____
Set between _____ ft. and _____ ft.
Fittings: _____

9 STATIC WATER LEVEL

50 ft. below land surface

10 PUMPING LEVEL below land surface

_____ ft. after _____ hrs. pumping _____ g.p.m.
_____ ft. after _____ hrs. pumping _____ g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) _____ Chlorides (Cl) _____

Hardness _____ Other _____

12 WELL HEAD COMPLETION: ☐ In Approved Pit
☒ Pitless Adaptor ☐ 12" Above Grade

13 Well Grouted? ☐ Yes ☐ No☐ Neat Cement ☐ Bentonite ☐

Depth: From _____ ft. to _____ ft.

14 Nearest Source of possible contamination

50 feet _____ Direction _____ Type _____Well disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name BarberModel Number _____ HP 3/4 Volts 220Length of Drop Pipe 126 ft. capacity 15 G.P.M.Type: ☒ Submersible☐ Jet☐ Reciprocating

16 Remarks, elevation, source of data, etc.

ADDED INFO BY DRILLER, ITEM NO.

*CORRECTED BY

**ADDITION BY

ELEVATION

DEPTH TO ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true
to the best of my knowledge and belief.

REGISTERED BUSINESS NAME J. M. Thompson & Sons REGISTRATION NO. 0493

Address Belmont, Mich.Signed J. M. Thompson Date 12-30-82

AUTHORIZED REPRESENTATIVE


WATER WELL AND PUMP RECORD

PART 127 ACT 368, P.A. 1978

PERMIT NUMBER

1 LOCATION OF WELL		3 OWNER OF WELL																						
County KENT	Township Name CLYDE	Section Number 35	Range Number 11 NW																					
Distance And Direction From Road Intersection Street Address & City of Well Location 3300 52nd St. SE Grand Rapids, MI		Address Beverly Daily 3259 31st ST. SW Grandville, MI 49418 Address Same As Well Location? ☐ Yes ☒ No																						
Locate with "X" in Section Below 		4 WELL DEPTH: (completed) 128 ft. Date of Completion 5/12/86 5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted																						
2 FORMATION DESCRIPTION <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">FORMATION DESCRIPTION</th> <th style="width:20%;">THICKNESS OF STRATUM</th> <th style="width:20%;">DEPTH TO BOTTOM OF STRATUM</th> </tr> </thead> <tbody> <tr><td>clay (red)</td><td>18</td><td>18</td></tr> <tr><td>clay (blue)</td><td>66</td><td>84</td></tr> <tr><td>clay & gravel (hardpan)</td><td>18</td><td>102</td></tr> <tr><td>clay (blue)</td><td>9</td><td>111</td></tr> <tr><td>sand & some stones</td><td>17</td><td>128</td></tr> <tr><td>clay & gravel</td><td>1</td><td>129</td></tr> </tbody> </table>		FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM	clay (red)	18	18	clay (blue)	66	84	clay & gravel (hardpan)	18	102	clay (blue)	9	111	sand & some stones	17	128	clay & gravel	1	129	6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public 7 CASING: ☒ Steel ☒ Threaded ☐ Plastic ☐ Welded Diameter 4 in. to 118 ft. depth Height Above/Below Surface 1 ft. Weight 11 lbs./ft. Grouted Drill Hole Diameter _____ in. to _____ ft. depth Drive Shoe ☒ Yes ☐ No	
FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM																						
clay (red)	18	18																						
clay (blue)	66	84																						
clay & gravel (hardpan)	18	102																						
clay (blue)	9	111																						
sand & some stones	17	128																						
clay & gravel	1	129																						
15. Remarks, elevation, source of data, etc. 		8 SCREEN: ☐ Not Installed Type plastic Diameter 4" Slot xxx-0128-010 Length 10' Set between 118 ft. and 128 ft. FITTINGS: ☒ K-Packer ☐ Lead Packer ☐ Bremer Check ☒ Blank above screen 2 ft. Other _____ 9 STATIC WATER LEVEL: 32 ft. below land surface ☐ Flow 10 PUMPING LEVEL: below land surface 32 ft. after 1 hrs. pumping at 35 G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.																						
16. Remarks, elevation, source of data, etc.		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit 12 WELL GROUTED? ☐ No ☒ Yes From _____ to _____ ft. ☐ Neat cement ☒ Bentonite ☒ Drilling mud No. of bags of cement _____ Additives _____ 13 Nearest source of possible contamination Type septic Distance 60 ft. Direction NM Well disinfected upon completion? ☒ Yes ☐ No																						
17. Remarks, elevation, source of data, etc.		14 PUMP: ☐ Not Installed ☐ Pump Installation Only Manufacturer's name Aermotor Model number SA75M HP 3/4 Volts 230 Length of Drop Pipe 84 ft. capacity 15# 18 G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Manufacturer's name Well X Trol Model number WX 203 Capacity 32 Gallons																						
18. Remarks, elevation, source of data, etc.		18. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Buor Well Drilling 41-0073 REGISTERED BUSINESS NAME REGISTRATION NO. Address 239 E. Main, Caledonia, MI 49316 Signed Thomas P. Buor Date 5/22/86 AUTHORIZED REPRESENTATIVE																						



MICHIGAN DEPARTMENT OF PUBLIC HEALTH
WATER WELL AND PUMP RECORDPERMIT NUMBER

1 LOCATION OF WELL		Township Name CITY OF KENTWOOD		Fraction NE 1/4 NE 1/4 NW 1/4		Section Number 35		Town Number 06 N/S		Range Number 11W E/W	
Distance And Direction From Road Intersection 3500 52ND ST GRAND RAPIDS, MI											
Street Address & City of Well Location 3500 52ND ST GRAND RAPIDS, MI											
Locate with "X" in Section Below 											
2 FORMATION DESCRIPTION				THICKNESS OF STRATUM		DEPTH TO BOTTOM OF STRATUM		3 OWNER OF WELL: JOHN SCHOLTEN Address 260 139TH WAYLAND, MI 49348 Address Same As Well Location? ☐ Yes ☒ No			
TOP SOIL & CLAY				1.0		1.0		4 WELL DEPTH: (completed) 317 ft. Date of Completion 10/17/87			
SAND				30.0		31.0		5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐			
CLAY				18.0		49.0		6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐			
SAND				32.0		81.0		7 CASING: ☒ Steel ☐ Threaded ☐ Plastic ☐ Welded 4 in. to 267 ft. depth Grouted Drill Hole Diameter in. to ft. depth in. to ft. depth in. to ft. depth Height: Above/Below Surface 1 ft. Weight lbs./ft. X Drive Shoe ☐ Yes ☒ No			
CLAY W/LITTLE GRAVEL				127.0		208.0		8 SCREEN: ☒ Not installed Type NONE Diameter Slot/Gauze Length Set between ft. and ft. FITTINGS: ☐ K-Packer ☐ Lead Packer ☐ Bremer Check ☐ Blank above screen ft. Other			
GYPSUM AND SHALE LAYERS				12.0		220.0		9 STATIC WATER LEVEL: 47 ft. below land surface ☐ Flow			
SANDSTONE AND GYPSUM				1.0		221.0		10 PUMPING LEVEL: below land surface 47 ft. after 1 hrs. pumping at 50 G.P.M. ft. after hrs. pumping at G.P.M.			
GYPSUM AND SHALE LAYERS				8.0		229.0		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit			
SANDSTONE AND SHALE				1.0		230.0		12 WELL GROUTED? ☐ No ☒ Yes From to ft. ☐ Neat cement ☒ Bentonite ☒ Other DELG MUD No. of bags of cement Additives			
SHALE AND GYPSUM LAYERS				7.0		237.0		13 Nearest source of possible contamination Type SEPTIC Distance 60 ft. Direction N Well disinfected upon completion? ☒ Yes ☐ No			
LIMESTONE				1.0		238.0		14 PUMP: ☐ Not installed ☐ Pump installation Only Manufacturer's name GOULDS Model number 18E10 HP 1 Volts 230 Length of Drop Pipe ft. capacity 3304 22 G.P.M. TYPE: ☐ Submersible ☐ Jet PRESSURE TANK: RAPIDAYTON Manufacturer's name Model number E RAP 220 Capacity EA. 85 Gallons			
SHALE				10.0		248.0		15. Remarks, elevation, source of data, etc. USED 60 FEET OF 6" PIPE RECEIVED Mich. Dept. of Public Health PHILIP BUER DEC 14 1987 Bureau of Environmental and Occupational Health - GWOS			
LIMESTONE				6.0		254.0		16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief BUER WELL DRILLING 41-0073 REGISTERED BUSINESS NAME 239 E MAIN CALEDONIA, MI 49316 Address Signed Norman P. Buer Date 10-19-87 AUTHORIZED REPRESENTATIVE			
SANDSTONE W/LIMESTONE				7.0		261.0		Authority: Completion: Penalty: Act 388 PA 1978 Required Conviction of a violation of any provision is a misdemeanor.			
SANDSTONE AND SHALE				4.0		265.0					
SANDSTONE				52.0		317.0					

MICHIGAN DEPARTMENT OF PUBLIC HEALTH


WATER WELL AND PUMP RECORD


PERMIT NUMBER

1 LOCATION OF WELL		3 OWNER OF WELL:																																														
County Kent	Township Name City of Kentwood	Section Number 35	Town Number 6 Range Number 11																																													
Distance And Direction From Road Intersection 1 1/2 Mile West of E. Paris - 1/2 Mile South of 52nd St.		Address 3500 52nd Street, Kentwood																																														
Street Address & City of Well Location 3500 52nd St. Kentwood		Address Same As Well Location? ☒ Yes ☐ No																																														
Locate with "X" in Section Below  Sketch Map: 		4 WELL DEPTH: 330 FT. Date Completed 1 27 89 ☒ New Well ☐ Replacement Well 5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐																																														
2 FORMATION DESCRIPTION <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">FORMATION DESCRIPTION</th> <th style="width: 10%;">THICKNESS OF STRATUM</th> <th style="width: 10%;">DEPTH TO BOTTOM OF STRATUM</th> </tr> </thead> <tbody> <tr><td>Brown Clay</td><td>7</td><td>7</td></tr> <tr><td>Gray Clay</td><td>5</td><td>12</td></tr> <tr><td>Sand</td><td>6</td><td>18</td></tr> <tr><td>Gray Clay</td><td>51</td><td>69</td></tr> <tr><td>Fine Silty Sand</td><td>12</td><td>81</td></tr> <tr><td>Gray clay</td><td>26</td><td>107</td></tr> <tr><td>Sand</td><td>9</td><td>116</td></tr> <tr><td>Gray Clay & Gravel</td><td>95</td><td>211</td></tr> <tr><td>Shale & Gypsum</td><td>21</td><td>232</td></tr> <tr><td>Shale & Limestone</td><td>4</td><td>236</td></tr> <tr><td>Gypsum</td><td>4</td><td>240</td></tr> <tr><td>Shale</td><td>8</td><td>248</td></tr> <tr><td>Limestone</td><td>16</td><td>264</td></tr> <tr><td>Marshall Sandstone</td><td>66</td><td>330</td></tr> </tbody> </table>		FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM	Brown Clay	7	7	Gray Clay	5	12	Sand	6	18	Gray Clay	51	69	Fine Silty Sand	12	81	Gray clay	26	107	Sand	9	116	Gray Clay & Gravel	95	211	Shale & Gypsum	21	232	Shale & Limestone	4	236	Gypsum	4	240	Shale	8	248	Limestone	16	264	Marshall Sandstone	66	330	6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐	
		FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM																																												
		Brown Clay	7	7																																												
		Gray Clay	5	12																																												
Sand	6	18																																														
Gray Clay	51	69																																														
Fine Silty Sand	12	81																																														
Gray clay	26	107																																														
Sand	9	116																																														
Gray Clay & Gravel	95	211																																														
Shale & Gypsum	21	232																																														
Shale & Limestone	4	236																																														
Gypsum	4	240																																														
Shale	8	248																																														
Limestone	16	264																																														
Marshall Sandstone	66	330																																														
7 CASING: Diameter ☐ Steel ☒ Threaded ☐ Welded 5 in. to 254 ft. depth Grouted Drill Hole Diameter _____ in. to _____ ft. depth _____ in. to _____ ft. depth		Height: Above/Below Surface 1 ft. Weight 2.8 lbs./ft. Drive Shoe ☐ Yes ☐ No																																														
8 SCREEN: ☒ Not Installed Type _____ Diameter _____ Slot/Gauze _____ Length _____ Set between _____ ft. and _____ ft. FITTINGS: ☐ K-Packer ☐ Lead Packer ☐ Bremer Check ☐ Blank above screen _____ ft. Other _____		9 STATIC WATER LEVEL: 49 ft. below land surface ☐ Flow																																														
		10 PUMPING LEVEL: below land surface _____ ft. after 4 hrs. pumping at 50 G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.																																														
11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit		12 WELL GROUTED? ☐ No ☒ Yes From 254 to surface ☐ Neat cement ☒ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____																																														
		13 Nearest source of possible contamination Type Septic Tank Distance 75 ft. Direction East Well disinfected upon completion? ☒ Yes ☐ No Was old well plugged? ☐ Yes ☐ No																																														
14 PUMP: ☐ Not Installed ☐ Pump Installation Only Manufacturer's name Aermotor Model number A20-150 HP 1 1/2 Volts 230 Length of Drop Pipe 80 ft. capacity 20 G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Manufacturer's name Antrol Model number WX 302 Capacity _____ Gallons		15. Remarks, elevation, source of data, etc. MAY 08 1989																																														
		16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Raymer Company, Inc. REGISTERED BUSINESS NAME Address 3311 Three Mile Rd., N.W., Grand Rapids, MI. Signed <i>A. Newbaker</i> Date Feb. 22, 1989 AUTHORIZED REPRESENTATIVE 0384 REGISTRATION NO. 3311 Three Mile Rd., N.W., Grand Rapids, MI.																																														
17. Rig Operator's Name:		Authority: _____ Act 368 PA 1978 Completion: _____ Required Penalty: _____ Conviction of a violation of any provision is a misdemeanor.																																														

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL		2 FORMATION DESCRIPTION		3 OWNER OF WELL:	
County Kent	Township Name Kentwood	Fraction 1/4 1/4 1/4	Section Number 35	Town Number 6 N/E	Range Number 11 e/W
Distance And Direction From Road Intersection 500' South of 52nd Street ~ 1/2 Mile West of East Paris		Street Address & City of Well Location 3560 52nd St., Kentwood		Address Same As Well Location? ☒ Yes ☐ No	
Locate with "X" in Section Below 		Sketch Map		Date Completed MO. 9 DAY 13 YEAR 93	
		4 WELL DEPTH: 160 FT.		☒ New Well ☐ Replacement Well	
		5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug		☐ Hollow rod ☐ Auger ☐ Jetted ☐	
		6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public		☐ Irrigation ☐ Type IIa Public ☐ Heat pump	
		☐ Test Well ☐ Type IIb Public ☐			
		7 CASING: Diameter ☐ Steel ☐ Threaded ☒ Plastic ☒ Welded		Height: Above/Below Surface 1 ft.	
		Grouted Drill Hole Diameter 8 in. to 160 ft. depth		Weight 2.8 lbs./ft.	
		Drive Shoe ☐ Yes ☒ No			
		8 SCREEN: ☐ Not Installed			
		Type PVC Diameter 5"			
		Set between 146 ft. and 160 ft.			
		Fittings: ☐ K-Packer ☐ Lead Packer ☐ Bremer Check ☐ Blank above screen ft. Other Glued			
		9 STATIC WATER LEVEL: 49 ft. below land surface ☐ Flow			
		10 PUMPING LEVEL: below land surface			
		ft. after 5 hrs. pumping at 40 G.P.M.			
		ft. after hrs. pumping at G.P.M.			
		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit			
		12 WELL GROUTED? ☐ No ☐ Yes From 30 to surface			
		☐ Neat cement ☒ Bentonite ☐ Other 			
		No. of bags of cement Additives 			
		13 Nearest source of possible contamination			
		Type Septic Distance 70 ft. Direction East			
		Well disinfected upon completion? ☒ Yes ☐ No			
		Was old well plugged? ☐ Yes ☐ No			
		14 PUMP: ☐ Not Installed ☐ Pump Installation Only			
		Manufacturer's name Grundfos			
		Model number 16S15-14 HP 11 Volts 230			
		Length of Drop Pipe 80 ft. capacity 18 G.P.M.			
		TYPE: ☒ Submersible ☐ Jet			
		PRESSURE TANK			
		Manufacturer's name Amtrol			
		Model number 2-WX 302's Capacity Gallons			
15. Remarks, elevation, source of data, etc.		16. WATER WELL CONTRACTOR'S CERTIFICATION:			
		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
17. Rig Operator's Name:		Raymer Company, Inc. 0384			
		REGISTERED BUSINESS NAME REGISTRATION NO.			
		Address 3311 Three Mile Rd., N.W., Grand Rapids			
		Signed Chas. Neuberger Date Nov. 3, 1993			
		AUTHORIZED REPRESENTATIVE			

1 LOCATION OF WELL		Township Name	Fraction	Section Number	Town Number	Range Number
County Kent		City of Kentwood	NW 1/4 NW 1/4 NE 1/4	35	6 N	11 E
Distance And Direction From Road Intersection						
(2) 5333 Settlers Pass 1/2 Mile West of Kentwood, MI 49508 E. Paris on 52nd.						
Street Address & City of Well Location						
Locate with "X" in Section Below						
						
2 FORMATION DESCRIPTION		THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM			
Clay		95	95			
Hard ground		28	123			
Gravel		4	127			
Hard ground		6	133			
Find Sand		5	138			
Clay		1	139			
3 OWNER OF WELL:						
Address Mick McGraw EastBrook Builders Grand Rapids, MI 49506						
Address Same As Well Location? ☐ Yes ☒ No						
4 WELL DEPTH: Date Completed ☒ New Well MO. DAY YEAR 3 5 91 ☐ Replacement Well						
5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jettied ☐						
6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐						
7 CASING: Diameter ☒ Steel ☐ Threaded ☐ Height: Above/Below ☐ Plastic ☒ Welded Surface 1 ft. — 4 in. to 122 ft. depth Weight _____ lbs./ft. _____ in. to _____ ft. depth Grouted Drill Hole Diameter _____ in. to _____ ft. depth Drive Shoe ☒ Yes _____ in. to _____ ft. depth ☐ No						
8 SCREEN: ☐ Not Installed Type None Diameter _____ Slot/Gauze _____ Length _____ Set between _____ ft. and _____ ft. FITTINGS: ☐ K-Packer ☐ Lead Packer ☐ Bremer Check ☐ Blank above screen _____ ft. Other Rubber						
9 STATIC WATER LEVEL: _____ 32 ft. below land surface ☐ Flow						
10 PUMPING LEVEL: below land surface _____ 42 ft. after 2 hrs. pumping at _____ G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.						
11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit						
12 WELL GROUTED? ☐ No ☒ Yes From _____ to _____ ft. ☐ Neat cement ☒ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____						
13 Nearest source of possible contamination Type _____ Distance _____ ft. Direction _____ Well disinfected upon completion? ☒ Yes ☐ No Was old well plugged? ☐ Yes ☐ No						
14 PUMP: ☐ Not Installed ☐ Pump Installation Only Manufacturer's name Aremotor Franklin Model number _____ HP 3/4 Volts 230 Length of Drop Pipe 80 ft. capacity _____ G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Manufacturer's name 202 Extrol Tank Model number _____ Capacity _____ Gallons						
15. Remarks, elevation, source of data, etc.						
#6587						
17. Rig Operator's Name:						
18. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Karl Geiger Water Well Const., Inc. 0700 REGISTERED BUSINESS NAME REGISTRATION NO. Address 5043 Whites Bridge Rd., Belding, MI 48824 Signed Karl Geiger Date 3-28-91						

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL		Township Name		Fraction	Section Number	Town Number	Range Number
County KENT		KENTWOOD		NW 1/4 NE 1/4	35	6	11 E/W
Distance And Direction From Road Intersection (1) 5333 SETTLERS PASS 1/2 Mile West of E. Paris on 52nd. (1) KENTWOOD, MI							
Street Address & City of Well Location Locate with "X" in Section Below				Sketch Map:			
				3 OWNER OF WELL: EASTBROOK BUILDERS (MICK MCGRAW) Address GRAND RAPIDS, MI 49506			
Address Same As Well Location? ☐ Yes ☒ No				4 WELL DEPTH: Date Completed MO. DAY YEAR ☒ New Well 56 FT. 11 03 90 ☐ Replacement Well			
5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐				6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐			
7 CASING: ☒ Steel ☐ Threaded ☒ Welded ☐ Plastic ☐ Diameter _____ ft. depth _____ ft. depth Grouted Drill Hole Diameter _____ in. to _____ ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth				Height: Above/Below Surface 1 ft. Weight _____ lbs./ft. Drive Shoe ☒ Yes ☐ No			
8 SCREEN: ☐ Not Installed Type PLASTIC Diameter 3" Slot/Gauze 008 Length 14" Set between 42' ft. and 56' ft. FITTINGS: ☒ K-Packer ☐ Lead Packer ☐ Brenner Check ☐ Blank above screen _____ ft. Other _____				9 STATIC WATER LEVEL: ☐ Flow 13 ft. below land surface			
10 PUMPING LEVEL: below land surface 20 ft. after 2 hrs. pumping at _____ G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.				11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit			
12 WELL GROUTED? ☐ No ☒ Yes From _____ to _____ ft. ☐ Neat cement ☒ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____				13 Nearest source of possible contamination Type _____ Distance _____ ft. Direction _____ Well disinfected upon completion? ☒ Yes ☐ No Was old well plugged? ☐ Yes ☐ No			
14 PUMP: ☐ Not Installed ☐ Pump Installation Only Manufacturer's name RED JACKET Model number _____ HP 1 1/2 Volts 230 Length of Drop Pipe 35 ft. capacity _____ G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Manufacturer's name ETROL Model number _____ Capacity 2-302 Gallons				16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KARL GEIGER WATER WELL CONST. INC. 0790 REGISTERED BUSINESS NAME REGISTRATION NO. Address 5043 WHITES BRIDGE RD./BELDING/48809 Signed Karl Geiger Date 3-28-91			
2 FORMATION DESCRIPTION				THICKNESS OF STRATUM			
CLAY				40			
SAND				14			
CLAY				2			
15. Remarks, elevation, source of data, etc. #6442				17. Rig Operator's Name:			

OCT 03 1975

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT

OF
PUBLIC HEALTH

1 LOCATION OF WELL

County Kent Township Name City of Kentwood Fraction NE 1/4 NW 1/4 Section Number 35 Town Number 6 N/S. Range Number 11 E/W.


Distance And Direction from Road Intersections

3/10 mile East of Wing Ave.
84 feet South of 52nd.

Street address & City of Well Location 3256 52nd St.

Locate with "X" in section below

Sketch Map:



3 OWNER OF WELL:

Don Grigsby.
Address 3256 52nd St.
Grand Rapids Mich.

4 WELL DEPTH: (completed) Date of Completion

116 ft. 4-11-75

5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jettied ☐ Bored ☐

6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐

7 CASING: Threaded ☒ Welded ☐ Height: Above/Below
Diam. Surface 4 ft.

4 in. to 113 ft. Depth Weight 11 lbs./ft.
in. to ft. Depth Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Types Stainless Dia. 4"
Slot/Gauze 016 Length 5 ft
Set between 111 ft. and 116 ft.
Fittings: K-Packer.

9 STATIC WATER LEVEL

30 ft. below land surface

10 PUMPING LEVEL below land surface

30 ft. after 1 hrs. pumping 23 g.p.m.
ft. after hrs. pumping g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) Chlorides (Cl)
Hardness Other

12 WELL HEAD COMPLETION: ☐ In Approved Pit

☒ Pitless Adapter ☐ 12" Above Grade

13 Well Grouted ☒ Yes ☐ No

☐ Neat Cement ☐ Bentonite ☒ Drilling Mud
Depth: From ft. to ft.

14 Nearest Source of possible contamination

60 feet S Direction Septic Type
Well disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installed
Manufacturer's Name Goulds
Model Number HP 3/4 Volts 220
Length of Drop Pipe 84 ft. capacity 15 G.P.M.
Type: ☒ Submersible ☐ Jet ☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

Dynamited At 96 feet

ADDED INFO BY DRILLER, ITEM NO.

*CORRECTED BY SP

**ADDITION BY

ELEVATION

DEPTH TO ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Plumb Drilling Co 1044
REGISTERED BUSINESS NAME REGISTRATION NO.

Address 3501 84th Byron Center

Signed Douglas Plumb Date 4-11-75
AUTHORIZED REPRESENTATIVE

WATER WELL AND PUMP RECORD

PART 127 ACT 368, P.A. 1978

PERMIT NUMBER

New Construction

1 LOCATION OF WELL		County		Township Name		City of		Fraction		Section Number		Town Number		Range Number										
		Kent		Paris		Kentwood		1/4 1/4 1/4		35		6 0 S		11 E/W										
Distance And Direction From Road Intersection																								
3098 Lindenwood SE Kentwood 49508																								
Street Address & City of Well Location																								
Locate with "X" in Section Below																								
Sketch Map																								
2 FORMATION DESCRIPTION																								
<table border="1"> <thead> <tr> <th>FORMATION DESCRIPTION</th> <th>THICKNESS OF STRATUM</th> <th>DEPTH TO BOTTOM OF STRATUM</th> </tr> </thead> <tbody> <tr> <td>Clay</td> <td>10</td> <td>10</td> </tr> <tr> <td>Sand</td> <td>23</td> <td>33</td> </tr> </tbody> </table>																FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM	Clay	10	10	Sand	23	33
FORMATION DESCRIPTION	THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM																						
Clay	10	10																						
Sand	23	33																						
3 OWNER OF WELL: Olson & Sun																								
Address 4252 Kalamazoo SE #1 Kentwood 49508																								
Address Same As Well Location? ☐ Yes ☒ No																								
4 WELL DEPTH: (completed) 33 ft. Date of Completion 5-2-85																								
5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐																								
6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐																								
7 CASING: Diameter 4 in. ☒ Steel ☐ Threaded ☐ Plastic ☐ Welded ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth Grouted Drill Hole Diameter _____ in. to _____ ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth _____ in. to _____ ft. depth Height: Above/Below Surface _____ ft. Weight _____ lbs./ft. Drive Shoe ☒ Yes ☐ No																								
8 SCREEN: ☐ Not Installed Type Stainless Diameter 4" Slot/Cut 7 Length 5' Set between 28 ft. and 33 ft. FITTINGS ☒ K-Packer ☐ Lead Packer ☐ Bromer Check ☐ Blank above screen ☒ Fan, Other _____																								
9 STATIC WATER LEVEL 7 ft. below land surface ☐ Flow																								
10 PUMPING LEVEL below land surface _____ ft. after _____ hrs. pumping at _____ G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.																								
11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit																								
12 WELL GROUTED? ☒ No ☐ Yes From _____ to _____ ft. ☐ Neat cement ☐ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____																								
13 Nearest source of possible contamination Type Septic Distance 140 ft. Direction W Well disinfected upon completion? ☒ Yes ☐ No																								
14 PUMP: ☐ Not Installed ☐ Pump Installation Only Manufacturer's name Burke Model number 5 SN 88 HP 1 1/2 Volts 220 Length of Drop Pipe 25 ft. capacity 15 G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK Manufacturer's name Clayton Marks Model number 80.03 Capacity 11.7 Gallons																								
15. Remarks, elevation, source of data, etc.																								
16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Joe Carlson WA Inc. 1552 REGISTERED BUSINESS NAME 4621 Whitneyville St Ada Address Signed Joe Carlson Date 5-20-85 AUTHORIZED REPRESENTATIVE																								

USE A 2ND SHEET IF NEEDED

RECEIVED

15. Remarks, elevation, source of data, etc.


JUN 12 1985

Bureau of Environmental and
Occupational Health - CWQS

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL		County <u>Kent</u>		Township <u>Kentwood</u>		Fraction <u>1/4</u>		Section Number <u>35</u>		Town Number <u>T6</u>		Range Number <u>R11 NW</u>	
Distance And Direction From Road Intersection <u>3158 Paris Park SE.</u>						3 OWNER OF WELL: <u>William Pasternak</u> Address <u>3170 Paris Park SE</u> <u>SP. 49508</u> Address Same As Well Location? ☐ Yes ☒ No							
Street Address & City of Well Location						4 WELL DEPTH: (completed) <u>41</u> ft. Date of Completion <u>7-15-87</u>							
Locate with "X" in Section Below						5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐							
						6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐							
						7 CASING: Diameter <u>4</u> in. to <u>37</u> ft. depth ☐ Steel ☒ Threaded ☐ Plastic ☐ Welded Grouted Drill Hole Diameter _____ in. to _____ ft. depth Drive Shoe ☒ Yes ☐ No							
2 FORMATION DESCRIPTION						THICKNESS OF STRATUM		DEPTH TO BOTTOM OF STRATUM		8 SCREEN: ☐ Not Installed Type <u>Stainless</u> Diameter <u>4</u> Slot/Groove <u>6</u> Length <u>4</u> Set between <u>37</u> ft. and <u>41</u> ft. FITTINGS: ☒ K-Packer ☐ Lead Packer ☐ Bremer Check ☐ Blank above screen <u>5</u> ft. Other _____			
										9 STATIC WATER LEVEL: <u>25</u> ft. below land surface ☐ Flow			
										10 PUMPING LEVEL below land surface <u>30</u> ft. after <u>1</u> hrs. pumping at <u>20</u> G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.			
										11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade ☐ Basement offset ☐ Approved pit			
										12 WELL GROUTED? ☐ No ☐ Yes From _____ to _____ ft. ☐ Neat cement ☐ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____			
										13 Nearest source of possible contamination Type _____ Distance _____ ft. Direction _____ Well disinfected upon completion? ☒ Yes ☐ No			
										14 PUMP: ☐ Not installed ☒ Pump Installation Only Manufacturer's name <u>Omec Donald</u> Model number <u>1550</u> HP <u>5</u> Volts <u>230</u> Length of Drop Pipe <u>27</u> ft. capacity <u>10</u> G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Manufacturer's name <u>Well x Trial</u> Model number <u>203</u> Capacity <u>9.8</u> Gallons			
										15. Remarks, elevation, source of data, etc.			
										16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is to the best of my knowledge and belief. <u>O.P. Penland W.D. 0065</u> REGISTERED BUSINESS NAME _____ REGISTRATION NO. _____ Address <u>4944 100th St Caledonia</u> Signed <u>O.P. Penland</u> Date <u>7-15-87</u> AUTHORIZED REPRESENTATIVE			
										Authority: _____ Completion: _____ Penalty: _____ Act 368 PA 1978 Required Conviction of a violation of any provision is a misdemeanor.			



WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT

OF
PUBLIC HEALTH

1 LOCATION OF WELL

County Kent	Township Name City of Kentwood	Fraction 1/4 1/4 1/4	Section Number 35	Town Number N/S.	Range Number E/W.
-----------------------	--	--------------------------------	-----------------------------	----------------------------	-----------------------------


Distance And Direction from Road Intersections

**5631 East Paris so
Grand Rapids, Mich.**

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



3 OWNER OF WELL:

**Address Rookus DeBlay
5631 East Paris so
Grand Rapids, Mich. 49508**

4 WELL DEPTH: (completed) Date of Completion

103 ft. 8/16/805 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored ☐6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐7 CASING: Threaded ☒ Welded ☐ Height: Above/Below
Diam. Surface **1** ft.**4** in. to **99** ft. Depth Weight **11** lbs./ft.**in.** to **ft.** Depth Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: **stainless** Dia.: **4"**Slot/Gauze **.010** Length **4'**Set between **99** ft. and **103** ft.Fittings **K packer, 3X12 nipple, & plug**

9 STATIC WATER LEVEL

56 ft. below land surface

10 PUMPING LEVEL below land surface

56 ft. after **1** hrs. pumping **15** g.p.m.**ft.** after **hrs.** pumping **g.p.m.**

11 WATER QUALITY in Parts Per Million:

Iron (Fe) Chlorides (Cl)

Hardness Other **not tested**12 WELL HEAD COMPLETION: ☐ In Approved Pit☒ Pitless Adapter ☐ 12" Above Grade13 Well Grouted? ☒ Yes ☐ No☐ Neat Cement ☐ Bentonite ☒ **drilling mud**Depth: From **ft.** to **ft.**

14 Nearest Source of possible contamination

50 feet **SE** Direction **septic** TypeWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name **Goulds**Model Number **10EJ** HP **3/4** volts **230**Length of Drop Pipe **84** ft. capacity **12 G.P.M. 10%**Type: ☒ Submersible☐ Jet☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks

RECEIVED
AUG 21 1980**KENT COUNTY
HEALTH DEPT.**CORRECTED BY
ELEVATION
DEPTH TO ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Buer Well Drilling**41-0023**

REGISTERED BUSINESS NAME

REGISTRATION NO.

Address **239 E. Main, Caledonia, Mich. 49316**Signed **Norman P. Buer** Date **8/18/80**


AUTHORIZED REPRESENTATIVE

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

NOV 22 1978

1 LOCATION OF WELL					
County Kent	Township Name City of Kentwood	Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	Section Number 35	Town Number 60S.	Range Number 11E(W.)
Distance And Direction from Road Intersections 3170 Linden Wood Dr. Kentwood Mich.			3 OWNER OF WELL: Walt Delange Address 3175 Paris Park Grand Rapids, MI. 49508		
Street address & City of Well Location Locate with "X" in section below 			4 WELL DEPTH: (completed) Date of Completion 52 ft. 9/21/78		
Sketch Map:			5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Jetted ☐ Bored ☐		
			6 USE: ☒ Domestic ☐ Public Supply ☐ Industry ☐ Irrigation ☐ Air Conditioning ☐ Commercial ☐ Test Well ☐		
2 FORMATION			7 CASING: Threaded ☒ Welded ☐ Height: Above/Below Diam. _____ Surface 1 ft.		
			4 in. to 47 ft. Depth Weight 11 lbs./ft. _____ in. to _____ ft. Depth Drive Shoe? Yes ☒ No ☐		
Sand			8 SCREEN: Type: Plastic Dia.: 4" Slot/Gauze .010 Length 5ft Set between 47 ft. and 52 ft. Fittings: K packer		
Gravel			9 STATIC WATER LEVEL 10 ft. below land surface		
Clay & sand			10 PUMPING LEVEL below land surface 10 ft. after 1 hrs. pumping 30 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m.		
Sand			11 WATER QUALITY in Parts Per Million: Iron (Fe) _____ Chlorides (Cl) _____ Hardness _____ Other Not tested		
Clay			12 WELL HEAD COMPLETION: ☐ In Approved Pit ☒ Pitless Adapter ☐ 12" Above Grade		
Clay & Sand			13 Well Grouted? ☒ Yes ☐ No ☐ Neat Cement ☐ Bentonite ☒ Drilling mud Depth: From _____ ft. to _____ ft.		
Clay			14 Nearest Source of possible contamination 60 feet W Direction Septic Type Well disinfected upon completion ☒ Yes ☐ No		
Water sand & a little clay			15 PUMP: ☐ Not installed Manufacturer's Name Aermotor Model Number SD12 HP 1/3 Volts 230 Length of Drop Pipe 25 ft. capacity 18 G.P.M. 20% Type: ☒ Submersible ☐ Jet ☐ Reciprocating		
Sand			17 WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Buer Well Drilling 0073 REGISTERED BUSINESS NAME REGISTRATION NO. Address 239 E Main St., Caledonia, Mich. Signed Robert O Buer Date 9/21/78 AUTHORIZED REPRESENTATIVE		
16 Remarks, elevation, source of data, etc. ADDED INFO BY DRILLER, ITEM NO. *CORRECTED BY SP **ADDITION BY ELEVATION DEPTH TO ROCK					

RECEIVED

OCT 4 1978

**KENT COUNTY
HEALTH DEPT**

USE A 2ND SHEET IF NEEDED

FEB 06 1978

WATER WELL RECORD

ACT 294 PA 1966

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County Kent Township Name Kentwood Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ Section Number 35 Town Number 602 Range Number 11 E/W

Distance And Direction from Road Intersections


45 ft N. of Paris Park
3/10 M. E. of Wing Ave.

Street address & City of Well Location

3237 PARIS PARK

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUMSand77Clay + Black decayed wood512Clay2739Sand746

3 OWNER OF WELL:

Walt DeHange
Address 3175 Paris Park SE
Grand Rapids, Mich. 49508

4 WELL DEPTH: (completed) Date of Completion

46 ft. 11-4-77

5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored ☐

6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐

7 CASING: Threaded ☒ Welded ☐

Height: Above/Below

Diam.

Surface 0 ft.4 in. to 41 ft. DepthWeight 11 lbs./ft.in. to ft. DepthDrive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: Stainless Dia.: 4"Slot/Gauze .007 Length 5 ftSet between 41 ft. and 46 ft.Fittings: K packer

9 STATIC WATER LEVEL

7 ft. below land surface

10 PUMPING LEVEL below land surface

7 ft. after 1 hrs. pumping 35 g.p.m.ft. after hrs. pumping g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) _____ Chlorides (Cl) _____

Hardness _____ Other Not Tested12 WELL HEAD COMPLETION: ☐ In Approved Pit☒ Pitless Adapter ☐ 12" Above Grade13 Well Grouted? ☒ Yes ☐ No☐ Neat Cement ☐ Bentonite ☒ Drilling Mud

Depth: From _____ ft. to _____ ft.

14 Nearest Source of possible contamination

50 feet E Direction Septic TypeWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name Aer motorModel Number SD 12 HP 1/3 Volts 230Length of Drop Pipe 39 ft. capacity 18 G.P.M. 20 ftType: ☒ Submersible☐ Jet☐ Reciprocating

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Buer Well DRLG. 0073
REGISTERED BUSINESS NAME REGISTRATION NO.

Address 239 E. Main Caledonia, Mich

Signed Robert Buer Date 11-11-77
AUTHORIZED REPRESENTATIVE

16 Remarks, elevation, source of data, etc.

ADDED INFO BY DRILLER, FIRM NO.

*CORRECTED BY SP

*ADDITION BY

ELEVATION

DEPTH TO ROCK

RECEIVED
DEC 5 1977

KENT COUNTY
HEALTH DEPT

USE A 2ND SHEET IF NEEDED

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL


County: Kent Township Name: Kentwood Fraction: SW 1/4 SE 1/4 Section Number: 35 Town Number: 6 N 8 Range Number: 11 W

Distance And Direction from Road Intersections
1/2 mile WEST
OF EAST PARKS ON 60th ST

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUM

Clay
Sand

18

18

4

22

Clay
Sand

93

115

8

123

3 OWNER OF WELL:

Address

John Demorey
3631 60th St
Kentwood, Mich

4 WELL DEPTH: (completed) Date of Completion

123

ft.

7/29/74

- 5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored
- 6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well

- 7 CASING: Threaded ☒ Welded ☐
Diam. 4 Height: Above/Below
Surface 1 ft.
48 in. to 118 ft. Depth Weight 12 lbs./ft.
in. to ft. Depth Drive Shoe? Yes ☒ No ☐

- 8 SCREEN: Howard Smith
Type: STAINLESS Dia.: 3
Slot/Gauge 10 Length 5
Set between 118 ft. and 123 ft.
Fittings: K-Packer

- 9 STATIC WATER LEVEL
20 ft. below land surface

- 10 PUMPING LEVEL below land surface
100 ft. after 1 hrs. pumping 20 g.p.m.
ft. after hrs. pumping g.p.m.

- 11 WATER QUALITY in Parts Per Million:
Iron (Fe) Chlorides (Cl)
Hardness Other

- 12 WELL HEAD COMPLETION: ☐ In Approved Pit
☒ Pitless Adapter ☐ 12" Above Grade

- 13 Well Grouted? ☐ Yes ☐ No
☐ Neat Cement ☐ Bentonite
Depth: From ft. to ft.

- 14 Nearest Source of possible contamination
100 feet WEST Direction SEPTIC TANK Type
Well disinfected upon completion ☒ Yes ☐ No

- 15 PUMP: Wentrol ☐ Not installed
Manufacturer's Name Webster Pump Co
Model Number 79 HP 3 Volts 220
Length of Drop Pipe 105 ft. capacity 15 G.P.M.
Type: ☒ Submersible ☐ Jet ☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

ADDED BY MILLER ITEM NO.
CREATED BY
APPROVED BY
ELEVATION
DEPTH IN ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true
to the best of my knowledge and belief.

REGISTERED BUSINESS NAME

REGISTRATION NO.

Address

7747 Pine Island Dr Sparta

Signed

Michael Ricketts Date 7/29/74
AUTHORIZED REPRESENTATIVE



WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL		County <u>Kent</u>		Township Name <u>Paris</u>		Fraction <u>SW 1/4 NW 1/4</u>		Section Number <u>35</u>		Town Number <u>6</u> N/S.		Range Number <u>11</u> E/W.	
Distance And Direction from Road Intersections <u>S. END OF SETTERS PASS</u> <u>5475 SETTERS PASS Kentwood Mich</u> Street address & City of Well Location												3 OWNER OF WELL: <u>JIM ROVERHOFF</u> Address <u>5475 SETTERS PASS C.R.</u>	
Locate with "X" in section below Sketch Map:												4 WELL DEPTH: (completed) <u>50</u> ft. Date of Completion <u>Aug. 12, 86</u>	
2 FORMATION												5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Jetted ☐ Bored ☐	
THICKNESS OF STRATUM												6 USE: ☒ Domestic ☐ Public Supply ☐ Industry ☐ Irrigation ☐ Air Conditioning ☐ Commercial ☐ Test Well ☐	
DEPTH TO BOTTOM OF STRATUM												7 CASING: Threaded ☒ Welded ☐ Diam. <u>4</u> in. to <u>115</u> ft. Depth <u>3</u> in. to <u>50</u> ft. Depth Height: Above/Below Surface <u>1</u> ft. Weight _____ lbs./ft. Drive Shoe? Yes ☒ No ☐	
<u>Sand</u>												8 SCREEN: Type: <u>Plastic</u> Dia.: <u>3"</u> Slot/Gauze <u>6</u> Length <u>6'</u> Set between <u>45</u> ft. and <u>50</u> ft. Fittings: <u>4x3 K Parker</u>	
<u>Blue clay</u>												9 STATIC WATER LEVEL <u>10</u> ft. below land surface	
<u>Fine sand</u>												10 PUMPING LEVEL below land surface _____ ft. after _____ hrs. pumping _____ G.P.M. _____ ft. after _____ hrs. pumping _____ G.P.M.	
												11 WATER QUALITY in Parts Per Million: Iron (Fe) _____ Chlorides (Cl) _____ Hardness _____ Other _____	
												12 WELL HEAD COMPLETION: ☐ In Approved Pit ☒ Pitless Adapter ☐ 12" Above Grade	
												13 Well Grouted? ☐ Yes ☒ No ☐ Noat Cement ☐ Bentonite ☐ Depth: From _____ ft. to _____ ft.	
												14 Nearest Source of possible contamination <u>600</u> feet <u>N</u> Direction <u>Septic System</u> Type Well disinfected upon completion ☒ Yes ☐ No	
												15 PUMP: ☐ Not installed Manufacturer's Name <u>Red Duck</u> Model Number <u>5001-98C</u> HP <u>1/2</u> Volts <u>220</u> Length of Drop Pipe <u>38</u> ft. capacity <u>10</u> G.P.M. Type: ☒ Submersible ☐ Jet ☐ Reciprocating	
16 Remarks, elevation, source of data, etc.												17 WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>1587</u> REGISTERED BUSINESS NAME _____ REGISTRATION NO. _____ Address _____ Signed <u>John J. Cooney</u> Date <u>Aug. 13, 86</u> AUTHORIZED REPRESENTATIVE	

RECEIVED
Mich. Dept. of Public Health


AUG 19 1986

Bureau of Environmental and
Occupational Health - GWQS

USE A 2ND SHEET IF NEEDED

MICHIGAN DEPARTMENT OF PUBLIC HEALTH
WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL		3 OWNER OF WELL:			
County Kent	Township Name City of Kentwood	Fraction 1/4 1/4 1/4	Section Number 35	Town Number 6 N/W	Range Number 11 E/W
Distance And Direction From Road Intersection 1/4 Mile E. of Wing Avenue - 1/2 Mile S. of 52nd street		Address 5482 Settlers Pass off 52nd St., Kentwood			
Street Address & City of Well Location 5482 Settlers Pass off 52nd St.		Address Same As Well Location? ☒ Yes ☐ No			
Locate with "X" in Section Below		4 WELL DEPTH: 34 FT. Date Completed 1 23 89 ☒ Now Well ☐ Replacement Well			
		5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug			
		☐ Hollow rod ☐ Auger ☐ Jetted ☐			
		6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public			
		☐ Irrigation ☐ Type IIa Public ☐ Heat pump			
		7 CASING: Diameter ☒ Steel ☒ Threaded ☐ Plastic ☐ Welded			
		Height: Above/Below Surface 1 ft. Weight 11 lbs./ft.			
		Grouted Drill Hole Diameter ☐ Yes ☐ No			
		8 SCREEN: ☐ Not Installed Type Stainless St. Diameter 4"			
		Slot/Screen 7 Length 5'			
		Set between 29 ft. and 34 ft. FITTINGS: ☒ K-Packer ☐ Lead Packer ☐ Bremer Check			
		☐ Blank above screen ☐ Other			
		9 STATIC WATER LEVEL: 8 ft. below land surface ☐ Flow			
		10 PUMPING LEVEL: below land surface			
		4 ft. after 4 hrs. pumping at 30 G.P.M.			
		30 ft. after 4 hrs. pumping at 30 G.P.M.			
		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade			
		☐ Basement offset ☐ Approved pit			
		12 WELL GROUTED? ☒ No ☐ Yes From 4 to 34 ft.			
		☐ Neat cement ☐ Bentonite ☐ Other			
		No. of bags of cement 7 Additives			
		13 Nearest source of possible contamination			
		Type Septic tank Distance 50 ft. Direction S.E.			
		Well disinfected upon completion? ☒ Yes ☐ No			
		Was old well plugged? ☐ Yes ☐ No			
		14 PUMP: ☐ Not Installed ☐ Pump Installation Only			
		Manufacturer's name Aermotor			
		Model number A12-75 HP 3/4 Volts 230			
		Length of Drop Pipe 20 ft. capacity 15 G.P.M.			
		TYPE: ☒ Submersible ☐ Jet			
		PRESSURE TANK: Manufacturer's name Amtrol			
		Model number WX 250 Capacity 250 Gallons			
15. Remarks, elevation, source of data, etc.		16. WATER WELL CONTRACTOR'S CERTIFICATION:			
		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
		Raymer Company, Inc. 0384			
		REGISTERED BUSINESS NAME 3311 Three Mile Rd., N.W., Grand Rapids, MI.			
		Address 3311 Three Mile Rd., N.W., Grand Rapids, MI.			
		Signed C. Neuberger Date Feb. 22, 1989			
		AUTHORIZED REPRESENTATIVE			
17. Rig Operator's Name:					

WATER WELL AND PUMP RECORD

Completion is required under authority of Part 127 Act 368 PA 1978
Failure to comply is a misdemeanor

TAX NO:

PERMIT NO:

1. LOCATION OF WELL

County
Kent

Township Name

Paris KENTWOOD

Fraction

1/4 1/4 NW 1/4

Section No.

35

Town No.

6N


Range No.

11W

Distance and Direction from Road Intersection

Street Address & City of Well Location **3450 52nd Street, Kentwood**

Locate with 'x' in Section Below



3. OWNER OF WELL

Address **Allan Baron**
4452 Bonnie Street
Kentwood 49508

Address Same as Well Location ☐ Yes ☒ No

4. WELL DEPTH:

152 ft.

Date Completed

11 28 1997

☒ New Well

☐ Replacement Well

5. ☐ Cable Tool

☒ Rotary

☐ Driven

☐ Dug

☐ Hollow Rod

☐ Auger/Bored

☐ Jetted

☐

6. USE:

☒ Household

☐ Type I Public

☐ Type III Public

☐ Irrigation

☐ Type IIa Public

☐ Heat Pump

☐ Test Well

☐ Type IIb Public

☐

7. CASING:

☐ Steel

☐ Threaded

Height: Above/Below

☒ Plastic

☐ Welded

Surface: **1** ft.

☐ Other

Diameter: **5** in.

to **144** ft. depth

Weight: **SDR21** lbs./ft.

in. to ft. depth

BORE HOLE:

Diameter: **8 1/2** in.

to **152** ft. depth

☒ Drive Shoe

☐ Shale Packer

8. SCREEN:

☐ Not Installed

☒ Gravel-Packed

Type **Stainless**

Diameter **4"**

Slot **12/12**

Length: **8'**

Set Between **144** ft.

and **152** ft.

FITTINGS: ☒ K-Packer

☐ Brainer Check

☒ Blank Above Screen

1 ft. Other

9. STATIC WATER LEVEL:

45 ft. Below Land Surface

☐ Flowing

10. PUMPING LEVEL: Below Land Surface

152 ft. After

hrs. Pumping at **35** G.P.M.

☐ Plunger

☐ Bailor

☒ Air

☐ Test Pump

11. WELL HEAD COMPLETION:

☒ Pitless Adapter

☒ 12" Above Grade

☐ Basement Offset

☐ Well House

12. WELL GROUTED?

☐ No ☒ Yes

From **0** to **140** ft.

☐ Neat Cement

☒ Bentonite

☐ Other

No. of Bags **7**

Additives **Benseal**

13. NEAREST SOURCE OF POSSIBLE CONTAMINATION:

Type **sewer** Distance **40** ft. Direction **N**

Type Distance ft. Direction

USE A 2ND SHEET IF NEEDED

15. ABANDONED WELL PLUGGED?

☐ Yes ☐ No

Casing Diameter in.

Depth ft.

PLUGGING MATERIAL:

☐ Neat Cement

☐ Bentonite Slurry

☐ Cement/Bentonite Slurry

☐ Concrete Grout

☐ Bentonite Chips

No. of Bags

Casing Removed?

☐ Yes ☐ No

16. REMARKS: (Elevation, Source of Data, etc.)

12 bags of Coarse Gravel Pack

17. DRILLING MACHINE OPERATOR:

☒ Employee ☐ Subcontractor

Name **Kevin Ouellette, Mike S.**

18. WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Dyer Well Drilling & Service, Inc. **2227**

REGISTERED BUSINESS NAME

REGISTRATION NO.

Address **Laingsburg 48848-0370**

Signed

Michael Dyer


Date

12/2/97

AUTHORIZED REPRESENTATIVE

WATER WELL AND PUMP RECORD

PERMIT NUMBER



1 LOCATION OF WELL		3 OWNER OF WELL:	
County KENT	Township Name CITY OF KENTWOOD	Fraction NW 1/4 NE 1/4	Section Number 35
Distance And Direction From Road Intersection 5343 SETTLERS PASS KENTWOOD, MI 49508		Town Number 6	
Street Address & City of Well Location 1/2 MILE WEST OF EAST PARIS ON 52ND		Range Number 11 E/W	
Locate with "X" in Section Below 		Address MICK MCGRAW EASTBROOK BUILDERS GRAND RAPIDS, MI 49506	
		Address Same As Well Location? ☐ Yes ☒ No	
		4 WELL DEPTH: 295 FT.	
		Date Completed 8 MO 16 DAY 91 ☒ New Well ☐ Replacement Well	
		5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug	
		☐ Hollow rod ☐ Auger ☐ Jetted ☐	
		6 ☒ Domestic ☐ Type I Public ☐ Type III Public	
		☐ Irrigation ☐ Type IIa Public ☐ Heat pump	
		☐ Test Well ☐ Type IIb Public ☐	
		7 CASING: Diameter ☐ Steel ☐ Threaded ☒ Plastic ☐ Welded	
		Height: Above/Below Surface ☐ ft. Weight ☐ lbs./ft.	
		5 in. to 275 ft. depth	
		Grouted Drill Hole Diameter 7-7/8 in. to 275 ft. depth	
		Drive Shoe ☐ Yes ☒ No	
		8 SCREEN: ☒ Not Installed	
		Type ☐ Diameter ☐	
		Slot/Gauze ☐ Length ☐	
		Set between ☐ ft. and ☐ ft.	
		FITTINGS: ☐ K-Packer ☐ Lead Packer ☐ Bremer Check	
		☐ Blank above screen ☐ ft. Other ☐	
		9 STATIC WATER LEVEL: 28 ft. below land surface ☐ Flow	
		10 PUMPING LEVEL: below land surface	
		80 ft. after 2 hrs. pumping at 100 G.P.M.	
		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade	
		☐ Basement offset ☐ Approved pit	
		12 WELL GROUTED? ☐ No ☒ Yes From 5 to 275 ft.	
		☐ Neat cement ☒ Bentonite ☐ Other ☐	
		No. of bags of cement ☐ Additives ☐	
		13 Nearest source of possible contamination	
		Type SEPTIC Distance ☐ ft. Direction ☐	
		Well disinfected upon completion? ☒ Yes ☐ No	
		Was old well plugged? ☐ Yes ☐ No	
		14 PUMP: ☐ Not Installed ☐ Pump Installation Only	
		Manufacturer's name AERMOTOR	
		Model number A20B150 HP 1.5 Volts 240	
		Length of Drop Pipe 100 ft. capacity 25 G.P.M.	
		TYPE: ☒ Submersible ☐ Jet	
		PRESSURE TANK: Manufacturer's name WELL EXTROL	
		Model number (2) 302 Capacity 86 Gallons	
2 FORMATION DESCRIPTION		THICKNESS OF STRATUM	
CLAY-SANDY BROWN		13	
SAND		5	
CLAY		17	
CLAY & SAND STRIPS		100	
SAND & GRAVEL WITH LITTLE CLAY		40	
CLAY WITH GRAVEL		27	
SHALE BLUE		8	
LIMESTONE & GYPSUM		8	
SHALE		2	
LIMESTONE & GYPSUM		6	
SHALE WITH STRIPS ON GYPSUM		20	
LIMESTONE & SHALE		7	
SANDSTONE, SHALE		9	
SANDSTONE, GREY		295	
RECEIVED 295 Mich. Dept. of Public Health JAN 14 1992			
15. Remarks, elevation, source of data, etc.		16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
17. Rig Operator's Name: PETE SPRENNE PETE		KARL GEIGER WATER WELL CONSTRUCTION, INC. 0700 REGISTERED BUSINESS NAME Address 5042 WHITES BRIDGE ROAD, BELDING, MI 48809 Signed Karl Geiger Date 1-10-91 AUTHORIZED REPRESENTATIVE	

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1. LOCATION OF WELL		3. OWNER OF WELL:	
County Kent	Township Name City of Kentwood	Fraction 1/4 1/4 1/4	Section Number 35
		Town Number 6	Range Number 11
Distance And Direction From Road Intersection 3/4 Mile W. of East Paris - 1000' S. of 52nd St.		Address 5333 Settlers Pass, Kentwood	
Street Address & City of Well Location 5333 Settlers Pass, Kentwood		Address Same As Well Location? ☒ Yes ☐ No	
Locate with "X" in Section Below		4 WELL DEPTH: Date Completed	
		MO DAY YEAR 200 FT. 3 16 92	
		☐ New Well ☒ Replacement Well	
5 ☐ Cable tool ☒ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐		6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public	
		☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐	
7 CASING: Diameter ☐ Steel ☐ Threaded ☒ Plastic ☒ Welded * 5 in. to 33 ft. depth 5 1/2 in. to 116 ft. depth 5 1/2 in. to 190 ft. depth 7 7/8 in. to 200 ft. depth		Height: Above/Below	
		Surface 1 ft. Weight 2.8 lbs./ft. Drive Shoe ☐ Yes ☒ No	
8 SCREEN ☐ Not Installed Type P.V.C. Diameter 5" Slot/Gauge 12 Length 1-16' long 2-10' long Set between 116' & 126' ft. and 190' & 200' ft. FITTINGS: ☐ K-Packer ☐ Load Packer ☐ Bremer Check ☐ Blank above screen _____ ft. Other Glued		9 STATIC WATER LEVEL: 16 ft. below land surface ☐ Flow	
		10 PUMPING LEVEL: below land surface	
11 WELL HEAD COMPLETION: ☒ P-tloss adaptor ☐ 12" above grade ☐ Basement offset ☐ Approved pit		12 WELL GROUTED? ☐ No ☒ Yes From 33 to surface	
		☐ Neat cement ☒ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____	
13 Nearest source of possible contamination Type Septic Distance 100 ft. Direction N.W. Well disinfected upon completion? ☒ Yes ☐ No Was old well plugged? ☐ Yes ☐ No		14 PUMP: ☐ Not Installed ☐ Pump Installation Only	
		Manufacturer's name Used Owners pump & tank Model number _____ HP _____ Volts _____ Length of Drop Pipe _____ ft. capacity _____ G.P.M. TYPE: ☐ Submersible ☐ Jet PRESSURE TANK Manufacturer's name _____ Model number _____ Capacity _____ Gallons	
15. Remarks, elevation, source of data, etc. 		16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Raymer Company, Inc. 0384 REGISTERED BUSINESS NAME REGISTRATION NO. Address 3311 Three Mile Rd., N.W., Grand Rapids Signed <i>Alvin Newberry</i> Date April 20, 1992 AUTHORIZED REPRESENTATIVE	

PERMIT NUMBER

1 LOCATION OF WELL		Township Name		Fraction	Section Number	Town Number	Range Number
County Kent		City of Kentwood		1/4 SW 1/4 NE 1/4	35	6 N/S	11 E/W
Distance And Direction From Road Intersection .3 mile west of East Paris on 60th St.				3 OWNER OF WELL: Mr. Deaver Address 3735 - 60th St. SE Grand Rapids MI 49512 Address Same As Well Location? ☒ Yes ☐ No			
Street Address & City of Well Location 3735 - 60th St. G.R.		Sketch Map:		4 WELL DEPTH: Date Completed MO. DAY YEAR ☐ New Well 171 FT. 12 16 92 ☒ Replacement Well			
Locate with "X" in Section Below		Sketch Map:		5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jatted ☐			
				6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐			
2 FORMATION DESCRIPTION		THICKNESS OF STRATUM	DEPTH TO BOTTOM OF STRATUM	7 CASING: ☒ Steel ☒ Threaded ☐ Plastic ☐ Welded Diameter 4 in. to 163 ft. depth Height: Above/Below Surface 1 ft. Weight 11 lbs./ft. Grouted Drill Hole Diameter ☐ Drive Shoe ☒ Yes ☐ No			
Sand	8	8	8 SCREEN: (Johnson) ☐ Not installed Type Stainless Diameter 3" Slot/Groove 7 Length 8' Set between 163 ft. and 171 ft. FITTINGS ☒ K-Packer ☐ Lead Packer ☐ Bromer Check ☒ Blank above screen 8" Other _____				
Red Clay	3	11	9 STATIC WATER LEVEL: 53 ft. below land surface ☐ Flow				
Sand	3	14	10 PUMPING LEVEL below land surface _____ ft. after _____ hrs. pumping at 30+ G.P.M. _____ ft. after _____ hrs. pumping at _____ G.P.M.				
Blue Clay	126	140	11 WELL HEAD COMPLETION: ☒ Pitless adapter ☒ 12" above grade ☐ Basement offset ☐ Approved pit				
Blue Clay/Gravel	23	163	12 WELL GROUTED? ☐ No ☒ Yes From up to 3 ft. ☐ Neat cement ☒ Bentonite ☐ Other _____ No. of bags of cement _____ Additives _____				
Gravel/Sand	8	171	13 Nearest source of possible contamination Type Septic Distance 62 ft. Direction NE Well disinfected upon completion? ☒ Yes ☐ No Was old well plugged? ☒ Yes ☐ No				
Blue Clay			14 PUMP: ☐ Not installed ☐ Pump Installation Only Manufacturer's name Burks Model number 7SNB12B HP 3/4 Volts 220 Length of Drop Pipe 144 ft. capacity 11 G.P.M. TYPE: ☒ Submersible ☐ Jet PRESSURE TANK: Well X-Trol Manufacturer's name _____ Model number 203 Capacity 9.9 Gallons				
15. Remarks, elevation, source of data, etc. No nitrates detected on field unit.				16. WATER WELL CONTRACTOR'S CERTIFICATION: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Joe Carlson Well Drilling, Inc. 1552 REGISTERED BUSINESS NAME 5434 Thornapple River, Gr. Rapids MI 495 REGISTRATION NO. Signed Roger Cook, Pres Date 12-16-92			
17. Rig Operator's Name: Derek Schultz				18. Registered Business Name: Mich. Dept. of Public Health			

D67d 2/84

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL			3 OWNER OF WELL:		
County KENT	Township Name KENTWOOD (Paris)	Fraction NE 1/4 NW 1/4 SW 1/4	Section Number 35	Town Number 6 N/3	Range Number 11 SW
Distance And Direction From Road Intersection 1/4 mi S. OF 52ND ST. KENTWOOD 1/2 mi E. OF EAST PARIS			Address 16191 TRENTON CEDAR SPRINGS 49330		
Street Address & City of Well Location 5400 SETTLERS PASS			Address Same As Well Location? ☐ Yes ☐ No		
Locate with "X" in Section Below			4 WELL DEPTH: 41 FT. Date Completed 9/28/88 ☒ New Well ☐ Replacement Well		
			5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug		
			☐ Hollow rod ☐ Auger ☐ Jetted ☐		
			6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public		
			☐ Irrigation ☐ Type IIa Public ☐ Heat pump		
			7 CASING: ☒ Steel ☐ Threaded ☐ Height: Above/Below		
			☐ Plastic ☐ Welded ☐ Surface 31' ft.		
			Weight 11 lbs./ft.		
			Drive Shoe ☒ Yes ☐ No		
			8 SCREEN: ☐ Not Installed		
			Type STAINLESS Diameter 3 1/2		
			Slot/G 7 Length 5		
			Set between 36 ft. and 41 ft.		
			FITTINGS: ☒ K-Packer ☐ Lead Packer ☐ Bremer Check		
			☒ Blank above screen 1 ft. Other _____		
			9 STATIC WATER LEVEL: 15 ft. below land surface ☐ Flow		
			10 PUMPING LEVEL: below land surface		
			25 ft. after 1 hrs. pumping at 50 G.P.M.		
			_____ ft. after _____ hrs. pumping at _____ G.P.M.		
			11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade		
			☐ Basement offset ☐ Approved pit		
			12 WELL GROUTED? ☒ No ☐ Yes From _____ to _____ ft.		
			☐ Neat cement ☐ Bentonite ☐ Other _____		
			No. of bags of cement _____ Additives _____		
			13 Nearest source of possible contamination		
			Type SEPTIC Distance 55 ft. Direction E.		
			Well disinfected upon completion? ☒ Yes ☐ No		
			Was old well plugged? ☐ Yes ☐ No		
			14 PUMP: ☐ Not Installed ☐ Pump Installation Only		
			Manufacturer's name BURKS		
			Model number 18 E HP 1 Volts 240		
			Length of Drop Pipe 25 ft. capacity 25 G.P.M.		
			TYPE: ☒ Submersible ☐ Jet		
			PRESSURE TANK:		
			Manufacturer's name Well x TROL		
			Model number 251 Capacity 80 Gallons		
			15. Remarks, elevation, source of data, etc.		
			16. WATER WELL CONTRACTOR'S CERTIFICATION:		
			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
			REGISTERED BUSINESS NAME TRI NORTHERN W/D 1561		
			Address 501 BROMAN RD. SPARTA-MI		
			Signed Thomas Torman Date 9/28/88		
			AUTHORIZED REPRESENTATIVE		
17. Rig Operator's Name: Moose Lasey			Authority: Act 368 PA 1978		
			Completion: Required		
			Penalty: Conviction of a violation of any provision is a misdemeanor.		

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County KENT Township Name KENTWOOD Fraction 1/4 1/4 1/4 Section Number 35 Town Number 60 N.S. Range Number 11 E.W.


Distance And Direction from Road Intersections

5470 SETTLERS PASS

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



Private Road - S of
52nd - Between
Wing and E. parcel
app 1/4 mile S of
52nd St.

2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUM

Clay 30 30
Water sand 5 35
Not Blue Clay at 35ft

3 OWNER OF WELL:

RICHARD VANDEN TOURN

Address

5470 SETTLERS PASS

4 WELL DEPTH: (completed) Date of Completion

35 ft. 0010-865 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug☐ Hollow rod ☐ Jetted ☐ Bored ☐6 USE ☒ Domestic ☐ Public Supply ☐ Industry☐ Irrigation ☐ Air Conditioning ☐ Commercial☐ Test Well ☐7 CASING: Threaded ☒ Welded ☐Diam. 4 in. to 30 ft. DepthHeight: Above/Below Surface 60 ft.Weight 60 lbs. ft.Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: slotted Dia.: 4 in.Slot/Gauze 30 Length 5 ft.Set between 30 ft. and 35 ft.Fittings: Lead Packer

9 STATIC WATER LEVEL

19 ft. below land surface

10 PUMPING LEVEL below land surface

name ft. after 40 hrs. pumping g.p.m.ft. after 40 hrs. pumping g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) not testedChlorides (Cl) not testedHardness not tested Other not tested12 WELL HEAD COMPLETION: ☐ In Approved Pit☒ Pitless Adapter ☐ 12" Above Grade13 Well Grouted? ☒ Yes ☐ No☐ Neat Cement ☒ Bentonite ☐Depth: From 30 ft. to 35 ft.

14 Nearest Source of possible contamination

not installed as of this date Type notDirection notWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name BurksModel Number 7518C HP 3/4 Volts 220Length of Drop Pipe 18 ft. capacity 18 G.P.M.Type: ☒ Submersible Serial # 457529☐ Jet ☐ ReciprocatingWX250 steel tank

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true

to the best of my knowledge and belief.

Ch. Doorn W.D. 41-0089


REGISTERED BUSINESS NAME REGISTRATION NO.

Address 1575 Springwell N.E. Grand RapidsSigned Ch. Doorn Date 10/11/86

AUTHORIZED REPRESENTATIVE

16 Remarks, elevation, source of data, etc.
Mich. Dept. of Public Health

OCT 28 1986

Bureau of Environmental and
Occupational Health - OWOS



11-0-174

WATER WELL RECORD

ACT 294 PA 1985

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County Kent Township Name Rentonwood Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ Section Number 35 Town Number T6 N/A Range Number R11 W.


Distance And Direction from Road Intersections

3214 Paris Park SE
Grand Rapids

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUMsand12 12clay18 30sand & clay12 42sand (water)8 50

3 OWNER OF WELL:

Address

Walter De Jange
3062 Paris Park SE
Grand Rapids, Mich.

4 WELL DEPTH: (completed) Date of Completion

50 ft. 11/28/735 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jotted ☐ Bored6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well7 CASING: Threaded ☒ Welded ☐
Diam. 4 in. to 4 1/2 ft. Depth 4 1/2 ft. Depth
Height: Above/Below Surface 0 ft.
Weight STD lbs./ft.
Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: plastic Dia.: 3 3/4
Slot/Gauge 10 Length 4 ft
Set between 4 1/2 ft. and 50 ft.
Fittings: 3 x 4" K rock

9 STATIC WATER LEVEL

8 ft. below land surface

10 PUMPING LEVEL below land surface

10 ft. after 1 hrs. pumping 20 g.p.m. ft. after hrs. pumping g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) Chlorides (Cl) Hardness Other 12 WELL HEAD COMPLETION: ☐ In Approved Pit☒ Pitless Adapter ☒ 12" Above Grade13 Well Grouted? ☐ Yes ☒ No☐ Neat Cement ☐ Bentonite ☐ Depth: From ft. to ft.

14 Nearest Source of possible contamination

42 feet S Direction Septic Type
Well disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name F2WModel Number 5048 HP 1/2 Volts 230Length of Drop Pipe 30 ft. capacity 15 G.P.M.Type: ☒ Submersible☐ Jet☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

ADDED INFO BY DRILLER, ITEM NO.

*CORRECTED BY **ADDITION BY

ELEVATION

DEPTH TO ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

REGISTERED BUSINESS NAME

REGISTRATION NO. 0065Address 4944 100th St. CalumetSigned R. Ransland
AUTHORIZED REPRESENTATIVEDate 1/4/74

WATER WELL RECORD ACT 294 PA 1965

 MICHIGAN DEPARTMENT
 OF
 PUBLIC HEALTH

1 LOCATION OF WELL

 County Vent Township Name Kentwood Fraction 1/4 1/4 1/4 Section Number 35 Town Number T6 N4 Range Number R11E/W.


Distance And Direction from Road Intersections

3065 Paris park SE
Grand Rapids

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUM

<u>sand</u>	<u>31</u>	<u>31</u>
<u>sand & clay</u>	<u>4</u>	<u>35</u>
<u>sand (water)</u>	<u>7</u>	<u>42</u>

3 OWNER OF WELL:

Address

James Trish
3065 Paris park SE
Grand Rapids, Mich.

4 WELL DEPTH: (completed) Date of Completion

42 ft.
 5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dip
☐ Hollow rod ☐ Jetted ☐ Bored ☐

 6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐
7 CASING: Threaded ☒ Welded ☐Height: Above/Below
Surface 0 ft.
4 in. to 98 ft. Depth
in. to ft. Depth
Weight 11.75 lbs./ft.Drive Shoe? Yes ☒ No ☐

8 SCREEN:

 Type: plastic Dia.: 3 3/4
 Slot/Screen 7 Length 4 ft
 Set between 38 ft. and 42 ft.
 Fittings: 3x4" K packer

9 STATIC WATER LEVEL

10 ft. below land surface

10 PUMPING LEVEL below land surface

15 ft. after 1 hrs. pumping 20 g.p.m.

ft. after ___ hrs. pumping ___ g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) ___ Chlorides (Cl) ___

Hardness ___ Other ___

12 WELL HEAD COMPLETION:

☐ In Approved By☐ Pitless Adapter ☒ 12" Above Grade13 Well Grouted? ☐ Yes ☒ No☐ Neat Cement ☐ Bentonite ☐

Depth: From ___ ft. to ___ ft.

14 Nearest Source of possible contamination

50 feet S Direction Septic TypeWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☒ Not installed

Manufacturer's Name

Model Number ___ HP ___ Volts

Length of Drop Pipe ___ ft. capacity ___ G.P.M.

Type: ☐ Submersible☐ Jet☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

ADDED INFO BY DRILLER, ITEM NO.

*CORRECTED BY gc

**ADDITION BY

ELEVATION

DEPTH TO ROCK

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

R. Penland Well Dr.

REGISTERED BUSINESS NAME

REGISTRATION NO. 0065Address 4944 100th St CaliforniaSigned R. Penland

AUTHORIZED REPRESENTATIVE

Date 1/4/74

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County KENT Township Name PARIS Fraction SW 1/4 SW 1/4 Section Number 35 Town Number 60 N.S. Range Number 11 E/W.


Distance And Direction from Road Intersections

3/10 M N OF 60TH
3/10 M E OF WING AV

Street Address & City of Well Location

Locate with "X" in section below

Sketch Map:



3 OWNER OF WELL:

PHIL DE LANGE
Address 3186 PARIS PARK DR S.E.
GRAND RAPIDS, MICH.

4 WELL DEPTH: (completed) Date of Completion

61 ft. 11/18/70

5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored ☐

6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐

7 CASING: Threaded ☒ Welded ☐ Height: Above/BelowDiam. 4 in. to 55 ft. DepthSurface 0 ft.Weight 11 lbs./ft.Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: STAINLESS STEEL Dia.: 4"Slot: 0.007 Length 6 FTSet between 55 ft. and 61 ft.Fittings: K PACKER

9 STATIC WATER LEVEL

4 ft. below land surface

10 PUMPING LEVEL below land surface

20 ft. after 4 hrs. pumping 25 g.p.m.

ft. after ___ hrs. pumping ___ g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) ___ Chlorides (Cl) ___

Hardness ___ Other NOT TESTED

12 WELL HEAD COMPLETION:

☐ In Approved Pit
☒ Pitless Adapter ☐ 12" Above Grade

13 Well Grouted? ☒ Yes ☐ No

☐ Neat Cement ☐ Bentonite ☒ DRILLING MUD

Depth: From ___ ft. to ___ ft.

14 Nearest Source of possible contamination

60 feet N Direction SEPTIC TypeWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name AER MOTORModel Number SA33M HP 1/3 Volts 230Length of Drop Pipe 42 ft. capacity 15 G.P.M.Type: ☒ Submersible☐ Jet☐ Reciprocating

2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUMCLAY + SAND3434SAND FINE337CLAY744SAND FINE448CLAY452SAND FINE WATER BEARING961

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

ADDED INFO. BY DRILLER, BOER & SON

CORRECTED BY:

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

BOER & SON WELL DRILLING0073

REGISTERED BUSINESS NAME

REGISTRATION NO.

Address 239 E. MAIN, CALIFORNIA, MICHSigned Robert E. BoerDate 12/12/70

AUTHORIZED REPRESENTATIVE

FEB 9 1972

WATER WELL RECORD

ACT 294 PA 1965

MICHIGAN DEPARTMENT
OF
PUBLIC HEALTH

1 LOCATION OF WELL

County KENT Township Name CITY OF KENTWOOD Fraction SE 1/4 NW 1/4 SW 1/4 Section Number 35 Town Number 6 N 1/2 Range Number 11 W.


Distance And Direction from Road Intersections

2/10 M E OF WING AVE
3/10 M N OF 60TH

Street address & City of Well Location

Locate with "X" in section below

Sketch Map:



2 FORMATION

THICKNESS
OF
STRATUMDEPTH TO
BOTTOM OF
STRATUMSAND1818CLAY1836SAND541

3 OWNER OF WELL:

WALT DELANGE JR.
Address 1627 MILLBANK SE
GRAND RAPIDS MICH

4 WELL DEPTH: (completed) Date of Completion

41 ft. 12-8-71

5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug
☐ Hollow rod ☐ Jetted ☐ Bored ☐

6 USE: ☒ Domestic ☐ Public Supply ☐ Industry
☐ Irrigation ☐ Air Conditioning ☐ Commercial
☐ Test Well ☐

7 CASING: Threaded ☒ Welded ☐Diam. 4 in. to 36 ft. Depth

Height: Above/Below

Surface 0 ft.Weight 11 lbs./ft.Drive Shoe? Yes ☒ No ☐

8 SCREEN:

Type: STAINLESS Dia.: 4"Slot/Gauze 002 Length 5 FTSet between 36 ft. and 41 ft.Fittings: KPACKER

9 STATIC WATER LEVEL

9 ft. below land surface

10 PUMPING LEVEL below land surface

25 ft. after 1 hrs. pumping 25 g.p.m. ft. after hrs. pumping g.p.m.

11 WATER QUALITY in Parts Per Million:

Iron (Fe) Chlorides (Cl) Hardness Other NOT TESTED12 WELL HEAD COMPLETION: ☐ In Approved Pit☒ Pitless Adapter ☐ 12" Above Grade13 Well Grouted? ☒ Yes ☐ No☐ Neat Cement ☐ Bentonite ☒ DRILLING MUODepth: From ft. to ft.

14 Nearest Source of possible contamination

60 feet 5 Direction SEPTIC TypeWell disinfected upon completion ☒ Yes ☐ No

15 PUMP:

☐ Not installedManufacturer's Name AERMOTORModel Number 5A 33 M HP 1/3 Volts 230Length of Drop Pipe 30 ft. capacity 15 G.P.M.Type: ☒ Submersible☐ Jet☐ Reciprocating

USE A 2ND SHEET IF NEEDED

16 Remarks, elevation, source of data, etc.

ADDED INFO. BY DRILLER, ITEM NO.

*CORRECTED BY:

**ADDITION BY:

17 WATER WELL CONTRACTOR'S CERTIFICATION:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

BUELL WELL DRILLING0073

REGISTERED BUSINESS NAME


REGISTRATION NO.

Address 239 E. MAIN CALEDONIA, MICHSigned Robert H. Buell Date 12-15-71

AUTHORIZED REPRESENTATIVE

WATER WELL AND PUMP RECORD

PERMIT NUMBER

1 LOCATION OF WELL		3 OWNER OF WELL:	
County Kent	Township Name City of Kentwood	Fraction 1/4 1/4 1/4	Section Number 35
		Town Number 6 N/E	Range Number 11 E/W
Distance And Direction From Road Intersection 100 ft. N. of Mistywood 1/4 Mi. W. of Hanna Lake Rd. 3469 Mistywood		Address Ed VanEk 3469 Mistywood SE Caledonia, MI 49316	
Street Address & City of Well Location		Address Same As Well Location? ☒ Yes ☐ No	
Locate with "X" in Section Below		4 WELL DEPTH: 58 FT. Date Completed 5/1/87 ☒ New Well ☐ Replacement Well	
		5 ☒ Cable tool ☐ Rotary ☐ Driven ☐ Dug ☐ Hollow rod ☐ Auger ☐ Jetted ☐	
		6 USE: ☒ Domestic ☐ Type I Public ☐ Type III Public ☐ Irrigation ☐ Type IIa Public ☐ Heat pump ☐ Test Well ☐ Type IIb Public ☐	
2 FORMATION DESCRIPTION		7 CASING: Diameter ☒ Steel ☒ Threaded ☐ Plastic ☐ Welded	
		Height: Above/Below Surface 1/ ft. Weight 11 lbs./ft.	
Top soil		4 in. to 53 ft. depth	
Sand		Grouted Drill Hole Diameter	
Clay		5 in. to 10 ft. depth	
Dirty sand and gravel		6 in. to 44 ft. depth	
Fine sand		8 in. to 58 ft. depth	
		Drive Shoe ☒ Yes ☐ No	
		8 SCREEN: ☐ Not Installed	
		Type Slotted Diameter 4"	
		Slot/Gauze 7/80 Length 5'	
		Set between 53 ft. and 58 ft.	
		FITTINGS: ☐ K-Packer ☒ Lead Packer ☐ Bremer Check	
		☐ Blank above screen 53 ft. Other	
		9 STATIC WATER LEVEL: 23 ft. below land surface ☐ Flow	
		10 PUMPING LEVEL: below land surface	
		ft. after 1 1/2 hrs. pumping at 30 G.P.M.	
		ft. after hrs. pumping at G.P.M.	
		11 WELL HEAD COMPLETION: ☒ Pitless adapter ☐ 12" above grade	
		☐ Basement offset ☐ Approved pit	
		12 WELL GROUTED? ☒ No ☐ Yes From to ft.	
		☐ Neat cement ☐ Bentonite ☐ Other	
		No. of bags of cement Additives 	
		13 Nearest source of possible contamination	
		Type Septic Distance 60 ft. Direction S.	
		Well disinfected upon completion? ☒ Yes ☐ No	
		Was old well plugged? N/A ☐ Yes ☐ No	
		14 PUMP: ☐ Not Installed ☐ Pump Installation Only	
		Manufacturer's name Burks 459516	
		Model number 7SN8C HP 3/4 Volts 230	
		Length of Drop Pipe 37 ft. capacity 1125 G.P.M.	
		TYPE: ☒ Submersible ☐ Jet @ 40 psi	
		PRESSURE TANK: X-Trol	
		Manufacturer's name WX-251	
		Model number WX-251 Capacity Gallons	
15. Remarks, elevation, source of data, etc.		16. WATER WELL CONTRACTOR'S CERTIFICATION:	
17. Rig Operator's Name:		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
		Stovall Well Drilling Co. 41-0761	
		REGISTERED BUSINESS NAME REGISTRATION NO.	
		Address 2132 Four Mile Rd. N. E.	
		Signed Howard Stovall Date 6-1-87	
		AUTHORIZED REPRESENTATIVE	