## MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

## INTEROFFICE COMMUNICATION

TO:

File for Butylcarbitol Formal (CAS No. 143-29-3)

FROM:

Michael Depa, Toxics Unit, Air Quality Division

SUBJECT:

Development of the Screening Level

DATE:

March 6, 2007

The initial threshold screening level (ITSL) for butylcarbitol formal (synonyms "cryoflex" and 1-[2-[2-[2-(2-butoxyethoxy)ethoxymethoxy]ethoxy]ethoxy]butane) is 0.1 µg/m³ (annual averaging time).

The following references or databases were searched to identify data to determine the screening level: Environmental Protection Agency's (EPA's) Integrated Risk Information System (IRIS), the Registry of Toxic Effects of Chemical Substances (RTECS), the American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Values (TLV), National Institute of Occupational Safety and Health (NIOSH) Pocket Guide to Hazardous Chemicals, Environmental Protection Bureau Library, International Agency for Research on Cancer (IARC) Monographs, Chemical Abstract Service (CAS) Online (1967- February 2007), National Library of Medicine (NLM), Health Effects Assessment Summary Tables (HEAST), and National Toxicology Program (NTP) Status Report. The EPA has not established a reference concentration (RfC) or reference dose (RfD) for butylcarbitol formal. The ACGIH and NIOSH have not established Occupational Exposure Limits (OELs). The molecular weight is 336.36 g, and the molecular formula is C<sub>17</sub>H<sub>38</sub>O<sub>6</sub>. The molecular structure is pictured in Figure 1. The boiling point is 392 °C. The vapor pressure for butylcarbitol formal is 5.25X10<sup>-6</sup> mmHg @25°C. Butylcarbitol formal is not water soluble.

Figure 1. Molecular Structure of Butylcarbitol Formal



After performing the standard literature searches no toxicity information was found. Therefore, the ITSL for butylcarbitol formal was established at  $0.1 \, \mu g/m^3$  (annual averaging time) based on Rule 232(i).